

2024 Tacoma

Top 5 Facts

- * Standard turbocharged engine on gas grades
- * Available i-FORCE MAX Hybrid EV system
- * Performance-oriented TRD Pro and Trailhunter models
- * Toyota Audio Multimedia with available 14-in. touchscreen
- * Toyota Safety Sense™ 3.0[1]

What's New

Toyota Tacoma is all-new for 2024, featuring a standard turbocharged engine and an available i-FORCE MAX Hybrid EV powertrain on select grades. In addition to the TRD Pro, the Trailhunter grade joins the lineup as the model focused specifically for overlanding. On top of that, Tacoma now comes with Toyota Safety Sense™ 3.0[1] as standard, and the latest Toyota Audio Multimedia System.

Awards

- Awards coming soon.

Models

Model Code	Trim Name	Full Name	Engine
7186	SR	SR (i-FORCE 5-ft. bed Double Cab 8AT 2WD)	2.4L 4-cyl. Turbo
7594	SR	SR (i-FORCE 5-ft. bed, Double Cab 8AT 4WD)	2.4L 4-cyl. Turbo
7547	SR	SR (i-FORCE 5-ft. bed Double Cab 6MT 4WD)	2.4L 4-cyl. Turbo
7162	SR	SR (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD)	2.4L 4-cyl. Turbo
7514	SR	SR (i-FORCE 6-ft. bed Xtra Cab 8AT 4WD)	2.4L 4-cyl. Turbo
7146	SR5	SR5 (i-FORCE 5-ft. bed Double Cab 8AT 2WD)	2.4L 4-cyl. Turbo
7540	SR5	SR5 (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	2.4L 4-cyl. Turbo
7170	SR5	SR5 (i-FORCE 6-ft. bed Double Cab 8AT 2WD)	2.4L 4-cyl. Turbo
7570	SR5	SR5 (i-FORCE 6-ft. bed Double Cab 8AT 4WD)	2.4L 4-cyl. Turbo
7126	SR5	SR5 (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD)	2.4L 4-cyl. Turbo
7558	SR5	SR5 (i-FORCE 6-ft. bed Xtra Cab 8AT 4WD)	2.4L 4-cyl. Turbo



7166	TRD PreRunner	TRD Pre-Runner (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD)	2.4L 4-cyl. Turbo
7148	TRD Sport	TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 2WD)	2.4L 4-cyl. Turbo
7542	TRD Sport	TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	2.4L 4-cyl. Turbo
7543	TRD Sport	TRD Sport (i-FORCE 5-ft. bed Double Cab 6MT 4WD)	2.4L 4-cyl. Turbo
7530	TRD Sport	TRD Sport (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)	i-FORCE MAX 2.4L 4-cyl. Hybrid EV
7172	TRD Sport	TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 2WD)	2.4L 4-cyl. Turbo
7566	TRD Sport	TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 4WD)	2.4L 4-cyl. Turbo
7544	TRD Off-Road	TRD Off-Road (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	2.4L 4-cyl. Turbo
7568	TRD Off-Road	TRD Off-Road (i-FORCE 6-ft. bed Double Cab 8AT 4WD)	2.4L 4-cyl. Turbo
7545	TRD Off-Road	TRD Off-Road (i-FORCE 5-ft. bed Double Cab 6MT 4WD)	2.4L 4-cyl. Turbo
7582	Limited	Limited (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	2.4L 4-cyl. Turbo

Key Features

SR

Tacoma's base SR grade offers plenty of standard equipment and plenty of capability to get through work and everyday tasks. With its standard turbocharged powertrain, this midsize pickup backs up its rugged good looks with capability. Should drivers want maximum control of Tacoma's turbocharged power, an available six-speed manual transmission provides just that.

- Standard turbocharged 4-cyl. engine
- Double Cab or XtraCab configurations
- Toyota Safety Sense™ 3.0[1]
- Toyota Audio Multimedia
- LED headlights

SR5

SR5 enhances Tacoma's value proposition with added convenience features. On top of that, an available 14-inch touchscreen and 10-speaker JBL®[2] Premium Audio System takes the audio multimedia experience to new heights.

- Available power sliding rear window with privacy glass
- Available automatic climate control
- 6-speaker audio system
- Smart Key System

TRD PreRunner



TRD Pre-Runner is the first of four TRD performance grades. Available only in an XtraCab and rear wheel drive configuration, this Tacoma variant comes with several enhancements to improve its performance when the pavement ends like a lifted front suspension and all-terrain tires.

- 17-in. alloy wheels
- Available bed storage box
- Fold flat passenger seat
- Lockable rear storage with integrated pegboard

TRD Sport

Tacoma TRD Sport is the street-oriented performance variant, offering a choice between gas and i-FORCE MAX hybrid EV powertrains. Additionally, the former can also be equipped with a six-speed manual transmission for drivers that want added control of its turbocharged power.

- 18-in. machined alloy wheels
- 400W/120V AC power supply[11]
- Qi-compatible wireless charging[25]
- Available Digital Key[8] (requires an active Remote Connect trial or subscription. 4G network dependent)

TRD Off-Road

On the other end of the spectrum is Tacoma TRD Off-Road, the first of three performance models focused on off-road capability[43]. Available with either a turbocharged engine or the i-FORCE MAX hybrid EV system, this rugged pickup allows drivers to go off the beaten path.

- 17-in. machined alloy wheels
- All-terrain tires
- 2400W/120V AC power supply[4]
- Available heated front seats

Limited

Tacoma's Limited grade is all about a premium experience while maintaining its legendary capability. The Full-Time 4WD system with locking center differential ensures it puts power down effectively whether on or off the pavement. Plus, rich appointments elevate the overall experience by adding an extra layer of comfort and convenience.



- Heated and ventilated front seats
- Available i-FORCE MAX Hybrid EV system
- 14-in. touchscreen
- 10-speaker JBL® Premium Audio System with JBL® Flex Speaker

Colors

Availability - X

Exterior Color (paint code)	Interior Color (paint code)	SR	SR5	TRD PreRunner	TRD Sport	TRD Off-Road	Limited
Ice Cap (040)	Black Fabric (20-FA)	X					
Celestial Silver Metallic (1J9)	Black Fabric (20-FA)	X					
Underground (1L7)	Black Fabric (20-FA)	X					
Black (202)	Black Fabric (20-FA)	X					
Supersonic Red (3U5)	Black Fabric (20-FA)	X					
Ice Cap (040)	Black Fabric (20-FF)		X				
Ice Cap (040)	Black Fabric with Smoke Silver (20-FB)		X				
Ice Cap (040)	Boulder Fabric (10-FF)		X				
Celestial Silver Metallic (1J9)	Black Fabric (20-FF)		X				
Celestial Silver Metallic (1J9)	Black Fabric with Smoke Silver (20-FB)		X				
Celestial Silver Metallic (1J9)	Boulder Fabric (10-FF)		X				
Underground (1L7)	Black Fabric (20-FF)		X				
Underground (1L7)	Black Fabric with Smoke Silver (20-FB)		X				
Underground (1L7)	Boulder Fabric (10-FF)		X				
Black (202)	Black Fabric (20-FF)		X				
Black (202)	Black Fabric with Smoke Silver (20-FB)		X				
Black (202)	Boulder Fabric (10-FF)		X				
Supersonic Red (3U5)	Black Fabric (20-FF)		X				
Supersonic Red (3U5)	Black Fabric with Smoke Silver (20-FB)		X				
Supersonic Red (3U5)	Boulder Fabric (10-FF)		X				
Blue Crush Metallic (8W7)	Black Fabric (20-FF)		X				
Blue Crush Metallic (8W7)	Boulder Fabric (10-FF)		X				
Ice Cap (040)	Boulder/Black Fabric with Smoke Silver (12-FC)			X			
Ice Cap (040)	Boulder/Black Fabric with Anodized Blue (11-FC)			X			



Exterior Color (paint code)	Interior Color (paint code)	SR	SR5	TRD PreRunner	TRD Sport	TRD Off-Road	Limited
Underground (1L7)	Boulder/Black Fabric with Smoke Silver (12-FC)			X			
Underground (1L7)	Boulder/Black Fabric with Anodized Blue (11-FC)			X			
Solar Octane (4WS)	Boulder/Black Fabric with Smoke Silver (12-FC)			X			
Black (202)	Boulder/Black Fabric with Smoke Silver (12-FC)			X			
Black (202)	Boulder/Black Fabric with Anodized Blue (11-FC)			X			
Supersonic Red (3U5)	Boulder/Black Fabric with Smoke Silver (12-FC)			X			
Celestial Silver Metallic (1J9)	Boulder/Black Fabric with Smoke Silver (12-FC)			X			
Celestial Silver Metallic (1J9)	Boulder/Black Fabric with Anodized Blue (11-FC)			X			
Ice Cap (040)	Boulder/Black Fabric with Anodized Blue (11-FE)				X		
Ice Cap (040)	Black SofTex® trim (20-EA)				X		
Ice Cap (040)	Black/White Fabric (21-FE)				X		
Ice Cap (040)	Boulder/Black Fabric w/ Smoke Silver (12-FE)				X		
Wind Chill Pearl (089)	Boulder/Black Fabric with Anodized Blue (11-FE)				X		
Wind Chill Pearl (089)	Black SofTex® trim (20-EA)				X		
Wind Chill Pearl (089)	Black/White Fabric (21-FE)				X		
Wind Chill Pearl (089)	Boulder/Black Fabric w/ Smoke Silver (12-FE)				X		
Celestial Silver Metallic (1J9)	Boulder/Black Fabric with Anodized Blue (11-FE)				X		
Celestial Silver Metallic (1J9)	Black SofTex® trim (20-EA)				X		
Celestial Silver Metallic (1J9)	Black/White Fabric (21-FE)				X		
Celestial Silver Metallic (1J9)	Boulder/Black Fabric w/ Smoke Silver (12-FE)				X		
Underground (1L7)	Boulder/Black Fabric with Anodized Blue (11-FE)				X		
Underground (1L7)	Black SofTex® trim (20-EA)				X		
Underground (1L7)	Black/White Fabric (21-FE)				X		
Underground (1L7)	Boulder/Black Fabric w/ Smoke Silver (12-FE)				X		
Solar Octane (4WS)	Black SofTex® trim (20-EA)				X		
Solar Octane (4WS)	Black/White Fabric (21-FE)				X		
Solar Octane (4WS)	Boulder/Black Fabric w/ Smoke Silver (12-FE)				X		
Black (202)	Boulder/Black Fabric with Anodized Blue (11-FE)				X		
Black (202)	Black SofTex® trim (20-EA)				X		
Black (202)	Black/White Fabric (21-FE)				X		



Exterior Color (paint code)	Interior Color (paint code)	SR	SR5	TRD PreRunner	TRD Sport	TRD Off-Road	Limited
Black (202)	Boulder/Black Fabric w/ Smoke Silver (12-FE)				X		
Supersonic Red (3U5)	Black SofTex® trim (20-EA)				X		
Supersonic Red (3U5)	Black/White Fabric (21-FE)				X		
Supersonic Red (3U5)	Boulder/Black Fabric w/ Smoke Silver (12-FE)				X		
Oxide Bronze (6X1)	Black SofTex® trim (20-EA)				X		
Oxide Bronze (6X1)	Black/White Fabric (21-FE)				X		
Oxide Bronze (6X1)	Boulder/Black Fabric w/ Smoke Silver (12-FE)				X		
Blue Crush Metallic (8W7)	Boulder/Black Fabric with Anodized Blue (11-FE)				X		
Blue Crush Metallic (8W7)	Black SofTex® trim (20-EA)				X		
Blue Crush Metallic (8W7)	Black/White Fabric (21-FE)				X		
Blue Crush Metallic (8W7)	Boulder/Black Fabric w/ Smoke Silver (12-FE)				X		
Ice Cap (040)	undefined (21-FD)					X	
Ice Cap (040)	undefined (EA-21)					X	
Ice Cap (040)	Boulder/Black Fabric w/ Smoke Silver (12-FD)					X	
Ice Cap (040)	undefined (FD-11)					X	
Celestial Silver Metallic (1J9)	undefined (21-FD)					X	
Celestial Silver Metallic (1J9)	undefined (EA-21)					X	
Celestial Silver Metallic (1J9)	Boulder/Black Fabric w/ Smoke Silver (12-FD)					X	
Celestial Silver Metallic (1J9)	undefined (FD-11)					X	
Underground (1L7)	undefined (21-FD)					X	
Underground (1L7)	undefined (EA-21)					X	
Underground (1L7)	Boulder/Black Fabric w/ Smoke Silver (12-FD)					X	
Underground (1L7)	undefined (FD-11)					X	
Solar Octane (4WS)	undefined (21-FD)					X	
Solar Octane (4WS)	undefined (EA-21)					X	
Solar Octane (4WS)	Boulder/Black Fabric w/ Smoke Silver (12-FD)					X	
Black (202)	undefined (21-FD)					X	
Black (202)	undefined (EA-21)					X	
Black (202)	Boulder/Black Fabric w/ Smoke Silver (12-FD)					X	
Black (202)	undefined (FD-11)					X	
Supersonic Red (3U5)	undefined (21-FD)					X	
Supersonic Red (3U5)	undefined (EA-21)					X	
Supersonic Red (3U5)	Boulder/Black Fabric w/ Smoke Silver (12-FD)					X	
Oxide Bronze (6X1)	undefined (21-FD)					X	



Exterior Color (paint code)	Interior Color (paint code)	SR	SR5	TRD PreRunner	TRD Sport	TRD Off-Road	Limited
Oxide Bronze (6X1)	undefined (EA-21)					X	
Oxide Bronze (6X1)	Boulder/Black Fabric w/ Smoke Silver (12-FD)					X	
Blue Crush Metallic (8W7)	undefined (21-FD)					X	
Blue Crush Metallic (8W7)	undefined (EA-21)					X	
Blue Crush Metallic (8W7)	Boulder/Black Fabric w/ Smoke Silver (12-FD)					X	
Blue Crush Metallic (8W7)	undefined (FD-11)					X	
Oxide Bronze (6X1)	Black SofTex® trim (20-EB)						X
Oxide Bronze (6X1)	Boulder SofTex® trim (10-EB)						X
Wind Chill Pearl (089)	Black SofTex® trim (20-EB)						X
Wind Chill Pearl (089)	Boulder SofTex® trim (10-EB)						X
Celestial Silver Metallic (1J9)	Black SofTex® trim (20-EB)						X
Celestial Silver Metallic (1J9)	Boulder SofTex® trim (10-EB)						X
Underground (1L7)	Black SofTex® trim (20-EB)						X
Underground (1L7)	Boulder SofTex® trim (10-EB)						X
Black (202)	Black SofTex® trim (20-EB)						X
Black (202)	Boulder SofTex® trim (10-EB)						X
Supersonic Red (3U5)	Black SofTex® trim (20-EB)						X
Supersonic Red (3U5)	Boulder SofTex® trim (10-EB)						X
Blue Crush Metallic (8W7)	Black SofTex® trim (20-EB)						X
Blue Crush Metallic (8W7)	Boulder SofTex® trim (10-EB)						X

Factory Options

SR

Deck Rail + Cleats - TBD

- Code: DS
- Deck rail system with four adjustable tie-down cleats and fixed cargo bed tie-down points

Mud Guards - TBD

- Code: MG
- Mudguards

SR5



Heated Seats - TBD

- Code: CY
- Heated seats

Deck Rail + Cleats - TBD

- Code: DS
- Deck rail system with four adjustable tie-down cleats and fixed cargo bed tie-down points

Mud Guards - TBD

- Code: MG
- Mudguards

TRD PreRunner

Mud Guards - TBD

- Code: MG
- Mudguards

TRD Sport

Heated Seats - TBD

- Code: CY
- Heated seats

Premium Audio with 14-in Display - TBD

- Code: EE
- JBL®[2] Premium Audio with 14-In. Display – includes 14-in. Toyota Audio Multimedia touchscreen, JBL®[2] Premium Audio including JBL Flex®[2] portable *Bluetooth*®[3] speaker

Mud Guards - TBD

- Code: MG
- Mudguards

Moonroof - TBD

- Code: MR
- Power moonroof

TRD Off-Road

Heated Seats - TBD



- Code: CY
- Heated seats

Premium Audio with 14-in Display - TBD

- Code: EE
- JBL®[2] Premium Audio with 14-In. Display – includes 14-in. Toyota Audio Multimedia touchscreen, JBL®[2] Premium Audio including JBL Flex®[2] portable *Bluetooth*®[3] speaker

Stabilizer Disconnect Mechanism (SDM) - TBD

- Code: SF
- Front Stabilizer Disconnect Mechanism (SDM)

Mud Guards - TBD

- Code: MG
- Mudguards

Moonroof - TBD

- Code: MR
- Power moonroof

Limited

Adaptive Variable Suspension (AVS) - TBD

- Code: TBD
- Adaptive Variable Suspension

Mud Guards - TBD

- Code: MG
- Mudguards

Packages

SR

SR Upgrade Package - TBD

- Code: LL
- Available Smart Key (driver's side only) and available Blind Spot Monitor (BSM)[5]

SR5



SR5 Upgrade Package (Double Cab) - TBD

- Code: SM
- Available leather-trimmed steering wheel, available JBL®[2] Premium Audio with JBL Flex®[2] portable speaker, available Smart Key with Digital Key technology[8] (available on select models; requires an active Remote Connect trial or subscription. 4G network dependent), available Integrated Trailer Brake Controller (ITBC)[9], and available power horizontal rear window

SR5 Upgrade Package + Cold Weather Package (Double Cab) - TBD

- Code: SP
- Available heated front seats, available leather-trimmed heated steering wheel, available JBL®[2] Premium Audio with JBL Flex®[2] portable speaker, available Smart Key with Digital Key technology[8] (available on select models; requires an active Remote Connect trial or subscription. 4G network dependent), available Integrated Trailer Brake Controller (ITBC)[9], and available power horizontal rear window

TRD PreRunner

TRD PreRunner Package - TBD

- Code: OK
- Available 17-in. 265/70R17 wheels with all-terrain tires, available leather-trimmed steering wheel, available front tow hook, and available underbody fuel tank protection

TRD PreRunner Upgrade Package - TBD

- Code: SM
- Available Smart Key with Digital Key technology[8] (available on select models; requires an active Remote Connect trial or subscription. 4G network dependent) and available Integrated Trailer Brake Controller (ITBC)[9]

TRD Sport

TRD Sport Premium Package (2WD) - TBD

- Code: PQ
- Available heated and ventilated 8-way power-adjustable front seats, available leather-trimmed heated steering wheel, available 14-in. multimedia display, available Panoramic View Monitor (PVM)[7], available JBL®[2] Premium Audio with JBL Flex®[2] portable speaker, available power moonroof, available AC power inverter, available bed-mounted air compressor, available Smart Key with Digital Key technology[8] (available on select models; requires an active Remote Connect trial or subscription. 4G network dependent), available digital rearview mirror, available Towing Technology Package, including Integrated Trailer Brake Controller (ITBC)[9], available power



tailgate, and available power horizontal rear window

TRD Sport Upgrade Package (2WD) - TBD

- Code: PU
- Available heated and ventilated 8-way power-adjustable front seats, available leather-trimmed heated steering wheel, available JBL®[2] Premium Audio with JBL Flex®[2] portable speaker, available pre-wired auxiliary switches, available AC power inverter, bed-mounted air compressor, available Smart Key with Digital Key technology[8] (available on select models; requires an active Remote Connect trial or subscription. 4G network dependent), available Integrated Trailer Brake Controller (ITBC)[9], and available power horizontal rear window

TRD Sport Package (5ft Bed) - TBD

- Code: PY
- Available 18-in. wheels with 265/65R18 tires, available leather-trimmed steering wheel, available LED fog lights, available Blind Spot Monitor (BSM)[5], available Smart Key technology and available deck rail system with tie-down cleats

TRD Off-Road

TRD Off-Road Package (5ft Bed) - TBD

- Code: OC
- Available 17-in. wheels with 265/70R17 all-terrain tires, available leather-trimmed steering wheel, available front tow hooks, available composite underbody protection, available LED fog lights, available Blind Spot Monitor (BSM)[5], available Smart Key technology and available deck rail system with tie-down cleats

TRD Off-Road Premium Package - TBD

- Code: OF
- Available heated and ventilated 8-way power-adjustable front seats, available leather-trimmed heated steering wheel, available 14-in. multimedia display, available Multi-Terrain Monitor (MTM), available JBL®[2] Premium Audio with JBL Flex®[2] portable speaker, available power moonroof, available pre-wired auxiliary switches, available AC power inverter, available bed-mounted air compressor, available Smart Key with Digital Key technology[8] (available on select models; requires an active Remote Connect trial or subscription. 4G network dependent), available digital rearview mirror, available Towing Technology Package, including available Integrated Trailer Brake Controller (ITBC)[9], available power tailgate, and available power horizontal rear window

Limited

Limited Package (w/o AVS) - TBD

- Code: LT



- Available 18-in. chrome-finished wheels with 265/65R18 tires, available deck rail system with tie-down cleats, available leather-trimmed heated steering wheel, available SofTex®-trimmed[6] heated and ventilated 8-way power-adjustable front seats, available 14-in. multimedia display, available Panoramic View Monitor (PVM)[7], available digital rearview mirror, available Head-Up Display (HUD), JBL®[2] Premium Audio with JBL Flex®[2] portable speaker, available moonroof, available power running boards, available power tailgate, available 120V/400W power supply[11], available onboard air compressor, available Smart Key with Digital Key technology[8] (available on select models; requires an active Remote Connect trial or subscription. 4G network dependent), available chrome-finished exhaust tip, available power horizontal rear window, and available Towing Technology Package, including Integrated Trailer Brake Controller (ITBC)[9]

Limited Package (w/ AVS) - TBD

- Code: TBD
- Available 18-in. chrome-finished wheels with 265/65R18 tires, available deck rail system with tie-down cleats, available leather-trimmed heated steering wheel, available SofTex®-trimmed[6] heated and ventilated 8-way power-adjustable front seats, available 14-in. multimedia display, available Panoramic View Monitor (PVM)[7], available digital rearview mirror, available Head-Up Display (HUD), JBL®[2] Premium Audio with JBL Flex®[2] portable speaker, available moonroof, available power running boards, available power tailgate, available 120V/400W power supply[11], available onboard air compressor, available Smart Key with Digital Key technology[8] (available on select models; requires an active Remote Connect trial or subscription. 4G network dependent), available chrome-finished exhaust tip, available power horizontal rear window, and available Towing Technology Package, including Integrated Trailer Brake Controller (ITBC)[9], available Adaptive Variable Suspension (AVS)

Features

S - Standard | O - Optional | P - Package

	SR (i-FORCE 5-ft. bed Double Cab 8AT 2WD)	SR (i-FORCE 5-ft. bed, Double Cab 8AT 4WD)	SR (i-FORCE 5-ft. bed Double Cab 6MT 4WD)	SR (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD)	SR (i-FORCE 6-ft. bed Xtra Cab 8AT 4WD)	SR5 (i-FORCE 5-ft. bed Double Cab 8AT 2WD)
Safety/Convenience						
Airbags						
Driver and front passenger Advanced Airbag System[28]	S	S	S	S	S	S
Driver and front passenger seat-mounted side airbags, driver and front passenger knee airbags, and	S	S	S	S	S	S



	SR (i-FORCE 5-ft. bed Double Cab 8AT 2WD)	SR (i-FORCE 5-ft. bed, Double Cab 8AT 4WD)	SR (i-FORCE 5-ft. bed Double Cab 6MT 4WD)	SR (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD)	SR (i-FORCE 6-ft. bed Xtra Cab 8AT 4WD)	SR5 (i-FORCE 5-ft. bed Double Cab 8AT 2WD)
front and rear Roll-sensing Side Curtain Airbags (RSCA)[28]						
Backup Camera						
Integrated backup camera[29]	S	S	S	S	S	S
3D Multi-Terrain Monitor (MTM) with selectable front, side and rear views	-	-	-	-	-	-
3D Panoramic View Monitor[7] with selectable front, side and rear views	-	-	-	-	-	-
Braking Systems						
Anti-lock Brake System (ABS) – part of Star Safety System™	S	S	S	S	S	S
Brake Assist (BA) – part of Star Safety System™	S	S	S	S	S	S
Electronic Brake-force Distribution (EBD) – part of Star Safety System™	S	S	S	S	S	S
Hill Start Assist Control (HAC)[30]	S	S	S	S	S	S
Active Traction Control (A-TRAC)	-	S	-	-	-	-
Multi-Terrain Select (MTS) and Crawl Control (CRAWL)[22]	-	-	-	-	-	-
Pre-Collision System with Pedestrian Detection (PCS w/PD) [31] – part of Toyota Safety Sense™ P (TSS-P)[1]	S	S	S	S	S	S
Smart Stop Technology®[32] – part of Star Safety System™	S	S	S	S	S	S
Traction Control – part of Star Safety System™	S	S	S	S	S	S
Vehicle Stability Control (VSC)[33] – part of Star Safety System™	S	S	S	S	S	S
Convenience						
Smart Key System on driver door with Push Button Start	S	S	S	S	S	-
Smart Key System on driver and front passenger doors with Push Button Start						S
Digital Key[8] (requires an active Remote Connect trial or subscription. 4G network dependent)	P	P	P	P	P	P
Cruise Control						
Dynamic Radar Cruise Control (DRCC)[34] – part of Toyota Safety Sense™ P (TSS-P)[1]	S	S	S	S	S	S
Power Outlets						
Dual USB-C charge ports[24]	-	-	-	-	-	-

	SR (i-FORCE 5-ft. bed Double Cab 8AT 2WD)	SR (i-FORCE 5-ft. bed, Double Cab 8AT 4WD)	SR (i-FORCE 5-ft. bed Double Cab 6MT 4WD)	SR (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD)	SR (i-FORCE 6-ft. bed Xtra Cab 8AT 4WD)	SR5 (i-FORCE 5-ft. bed Double Cab 8AT 2WD)
Qi-compatible wireless charging [25]	-	-	-	-	-	-
400W/120V AC power supply[11]	-	-	-	-	-	-
2400W/120V AC power supply[4]	-	-	-	-	-	-
Safety & Security						
Star Safety System™	S	S	S	S	S	S
Anti-lock Brake System (ABS) – part of Star Safety System™	S	S	S	S	S	S
Brake Assist (BA) – part of Star Safety System™	S	S	S	S	S	S
Electronic Brake-force Distribution (EBD) – part of Star Safety System™	S	S	S	S	S	S
Smart Stop Technology® (SST)[32] – part of Star Safety System™	S	S	S	S	S	S
Traction Control (TRAC) – part of Star Safety System™	S	S	S	S	S	S
Vehicle Stability Control (VSC)[33] – part of Star Safety System™	S	S	S	S	S	S
Toyota Safety Sense™ P (TSS-P)[1]	S	S	S	S	S	S
Automatic High Beams (AHB)[35] – part of Toyota Safety Sense™ P (TSS-P)[1]	S	S	S	S	S	S
Dynamic Radar Cruise Control (DRCC)[34] – part of Toyota Safety Sense™ P (TSS-P)[1]	S	S	S	S	S	S
Lane Departure Alert (LDA)[36] – part of Toyota Safety Sense™ P (TSS-P)[1]	S	S	S	S	S	S
Pre-Collision System with Pedestrian Detection (PCS w/PD) [31] – part of Toyota Safety Sense™ P (TSS-P)[1]	S	S	S	S	S	S
Blind Spot Monitor (BSM)[5] and Rear Cross-Traffic Alert (RCTA) [37]	P	P	P	P	P	S
Integrated Trailer Brake Controller [9] with Multi-Information Display (MID) screen and trailer brake type, gain and manual trailer brake output controls	-	-	-	-	-	P
Child-protector rear door locks	-	-	S	-	-	S
Engine immobilizer[38]	S	S	S	S	S	S
Rear parking assist sonar[39]	-	-	-	-	-	-
Tire Pressure Monitor System (TPMS)[40]	S	S	S	S	S	S
Tire Pressure Monitor System (TPMS)[40] with individual tire location alert	-	-	-	-	-	-

	SR (i-FORCE 5-ft. bed Double Cab 8AT 2WD)	SR (i-FORCE 5-ft. bed, Double Cab 8AT 4WD)	SR (i-FORCE 5-ft. bed Double Cab 6MT 4WD)	SR (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD)	SR (i-FORCE 6-ft. bed Xtra Cab 8AT 4WD)	SR5 (i-FORCE 5-ft. bed Double Cab 8AT 2WD)
Seatbelts & Child Restraint System						
3-point seatbelts for all seating positions; driver-side Emergency Locking Retractor (ELR) and Automatic/Emergency Locking Retractor (ALR/ELR) on all passenger seatbelts	S	S	S	S	S	S
LATCH (Lower Anchors and Tethers for CHildren) includes lower anchors for front passenger seat on Access Cab and outboard rear seats on Double Cab	S	S	S	S	S	S
Seats						
Driver and front passenger active headrests	S	S	S	S	S	S
Windows, Glass & Wipers						
Variable intermittent windshield wipers with mist cycle	S	S	S	S	S	S
Sliding rear glass with privacy glass	S	S	S	S	S	S
Power sliding rear window with privacy glass	-	-	-	-	-	P
Interior						
Air Conditioner, Heater & Defroster						
Air conditioning	S	-	S	S	-	S
Automatic climate control with air filtration and combined temperature settings for driver and front passenger	-	-	-	-	-	P
Dual zone automatic climate control with air filtration and individual temperature settings for driver and front passenger	-	-	-	-	-	-
Audio, Entertainment & Navigation						
Toyota Audio Multimedia with 8-in. touchscreen	S	S	S	S	S	S
Toyota Audio Multimedia with 14-in. touchscreen	-	-	-	-	-	-
Wireless Apple CarPlay® compatibility[13]	S	S	S	S	S	S
Wireless Android Auto™ compatibility[14]	S	S	S	S	S	S
Hands-free phone capability & music streaming via Bluetooth® wireless technology[3]	S	S	S	S	S	S
SiriusXM® 3-month Platinum Plan trial subscription[15]	S	S	S	S	S	S
4 speakers	-	-	-	S	-	-

	SR (i-FORCE 5-ft. bed Double Cab 8AT 2WD)	SR (i-FORCE 5-ft. bed, Double Cab 8AT 4WD)	SR (i-FORCE 5-ft. bed Double Cab 6MT 4WD)	SR (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD)	SR (i-FORCE 6-ft. bed Xtra Cab 8AT 4WD)	SR5 (i-FORCE 5-ft. bed Double Cab 8AT 2WD)
6 speakers	S	S	S	S	S	S
10 JBL®[2] speakers including JBL Flex®[2] portable Bluetooth speaker	-	-	-	-	-	P
Drive Connect with 1-year trial on select models[16] – part of Connected Services[17] 4G network dependent	-	-	-	-	-	-
Remote Connect with 1-year trial. Subscription required after trial. 4G network dependent. – part of Connected Services[17]	-	-	-	-	-	-
Safety Connect® with up to a 10-year trial. Subscription required after trial. 4G network dependent. – part of Connected Services[17]	S	S	S	S	S	S
Service Connect with up to a 10-year trial. Subscription required after trial. 4G network dependent. – part of Connected Services[17]	-	-	-	-	-	-
Wi-Fi Connect with up a 3GB/1-month trial. Subscription required after trial. 4G network dependent. – part of Connected Services[17]	S	S	S	S	S	S
Cup & Bottle Holders						
Five cup and bottle holders	S	-	S	S	-	S
Drive Modes						
Multi-Terrain Select (MTS) and Crawl Control (CRAWL)[22]	-	-	-	-	-	-
Instrumentation						
Analog instrumentation with speedometer, tachometer, coolant temperature, and fuel gauges	S	S	S	S	S	S
4.2-in. color Multi-Information Display (MID) with outside temperature, odometer, tripmeters, and average fuel economy	S	S	S	S	S	S
12.3-in. digital meter with selectable gauge display screens and fuel economy, Driver Assist, vehicle/trip information, and warning messages	-	-	-	-	-	P
Head-Up Display (HUD)	-	-	-	-	-	-
Lights						
Overhead console with maplights, garage door opener compartment and sunglasses storage	S	S	S	S	S	S
Mirrors						



	SR (i-FORCE 5-ft. bed Double Cab 8AT 2WD)	SR (i-FORCE 5-ft. bed, Double Cab 8AT 4WD)	SR (i-FORCE 5-ft. bed Double Cab 6MT 4WD)	SR (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD)	SR (i-FORCE 6-ft. bed Xtra Cab 8AT 4WD)	SR5 (i-FORCE 5-ft. bed Double Cab 8AT 2WD)
Manual day/night rearview mirror	S	S	S	S	S	-
Auto-dimming day/night rearview mirror	-	-	-	-	-	S
Digital display auto-dimming rearview mirror with compass and HomeLink®[23] universal transceiver	-	-	-	-	-	-
Digital rearview mirror with HomeLink®[23] universal transceiver	-	-	-	-	-	-
Power Outlets						
Dual USB-C charge ports[24]	-	-	-	-	-	-
Qi-compatible wireless charging [25]	-	-	-	-	-	-
400W/120V AC power supply[11]	-	-	-	-	-	-
2400W/120V AC power supply[4]	-	-	-	-	-	-
Seats						
6-way adjustable driver's seat with lumbar support	S	S	S			S
8-way power adjustable driver's seat including 4-way lumbar support	-	-	-	-	-	-
8-way power-adjustable driver seats with 4-way power-adjustable lumbar support	-	-	-	-	-	-
6-way adjustable front passenger seat	S	S	S	S	S	S
8-way power-adjustable front passenger seats with 4-way power-adjustable lumbar support	-	-	-	-	-	-
Fabric-trimmed seats	S	S	S	S	S	S
SofTex®-trimmed seats[6]	-	-	-	-	-	-
Heated front seats	-	-	-	-	-	P
Heated and ventilated front seats	-	-	-	-	-	-
TRD Pro SofTex®-trimmed[6] IsoDynamic performance front seats with contrast stitching and technical-camo-pattern inserts	-	-	-	-	-	-
60/40 split fold-down rear seat with under-seat storage	S	S	S	-	-	S
Fold-flat passenger seat, lockable rear storage panel with integrated pegboard, and lockable deep storage compartment	-	-	-	S	S	-
Steering Wheel						
Polyurethane manual tilt/telescopic steering wheel with phone, audio, display/infotainment, and Driver Assist	S	S	S	S	S	S



	SR (i-FORCE 5-ft. bed Double Cab 8AT 2WD)	SR (i-FORCE 5-ft. bed, Double Cab 8AT 4WD)	SR (i-FORCE 5-ft. bed Double Cab 6MT 4WD)	SR (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD)	SR (i-FORCE 6-ft. bed Xtra Cab 8AT 4WD)	SR5 (i-FORCE 5-ft. bed Double Cab 8AT 2WD)
controls						
Leather-trimmed manual tilt/telescopic steering wheel with phone, audio, display/infotainment, and Driver Assist controls	-	-	-	-	-	P
TRD Pro leather-trimmed manual tilt/telescopic steering wheel with TRD badge, red center stripe, and phone, audio, display/infotainment, and Driver Assist controls	-	-	-	-	-	-
Heated steering wheel	-	-	-	-	-	P
Storage Areas						
Center console with covered armrest and storage compartment	S	-	S	S	-	S
Overhead console with maplights, garage door opener compartment and sunglasses storage	S	S	S	S	S	S
Trim						
Leather-trimmed shift lever	-	-	-	-	-	-
TRD Pro shift knob	-	-	-	-	-	-
TRD Pro floor mats[26]	-	-	-	-	-	-
Exterior						
Lights						
LED headlights	S	S	S	S	S	S
LED Daytime Running Lights (DRL)	S	S	S	S	S	S
Sequential LED turn signals	-	-	-	-	-	-
Integrated bed scene lighting	-	-	-	-	-	-
LED bed lighting	P	P	P	P	P	P
LED fog lights	-	-	-	-	-	P
Rigid Industries®[10] LED fog lights	-	-	-	-	-	-
Rigid Industries®[10] white-and-yellow-color switching LED fog lights	-	-	-	-	-	-
Mirrors						
Color-keyed, heated, power outside mirrors	S	S	S	S	S	S
Chrome-finish accented, heated, power outside mirrors	-	-	-	-	-	-
Outside mirrors with turn signal indicators	-	-	-	-	-	-
Moonroof						
Power tilt/slide moonroof and sliding sunshade	-	-	-	-	-	-

	SR (i- FORCE 5-ft. bed Double Cab 8AT 2WD)	SR (i- FORCE 5-ft. bed, Double Cab 8AT 4WD)	SR (i- FORCE 5-ft. bed Double Cab 6MT 4WD)	SR (i- FORCE 6- ft. bed Xtra Cab 8AT 2WD)	SR (i- FORCE 6- ft. bed Xtra Cab 8AT 4WD)	SR5 (i- FORCE 5-ft. bed Double Cab 8AT 2WD)
Power Outlets						
400W/120V AC power supply[11]	-	-	-	-	-	-
2400W/120V AC power supply[4]	-	-	-	-	-	-
Racks						
Four fixed cargo bed tie-down points	S	S	S	S	S	S
Deck rail system with four adjustable tie-down cleats and four fixed cargo bed tie-down points	P	P	P	P	P	P
Skid Plates						
Skid plate(s) on engine/front suspension	S	S	S	S	S	S
Underbody fuel tank protection	-	-	-	-	-	-
Composite front skid plate, with underbody transfer case and fuel tank protection	-	-	-	-	-	-
TRD Pro aluminum front skid plate, with underbody transfer case and fuel tank protection	-	-	-	-	-	-
Transfer case protector	-	-	-	-	-	-
Steel underbody protection, including front skid plate, transfer case protector, fuel tank protector, and rear differential protector	-	-	-	-	-	-
Trim						
Dark gray grille with black surround; color-keyed rear bumper	S	S	S	S	S	S
Charcoal grille with chrome-finished surround and rear bumper	-	-	-	-	-	-
Charcoal grille with chrome-finished surround; color-keyed overfenders; chrome-finish rear bumper	-	-	-	-	-	-
Silver-colored grille with front camera and chrome-finished surround; color-keyed overfenders and rear bumper	-	-	-	-	-	-
Gray grille with smoked finish and chrome-finished surround; hood scoop and color-keyed overfenders and rear bumper	-	-	-	-	-	-
Gray grille with smoked finish and chrome-finish surround; black overfenders and chrome-finish rear bumper	-	-	-	-	-	-
Heritage-inspired "TOYOTA" front	-	-	-	-	-	-

	SR (i-FORCE 5-ft. bed Double Cab 8AT 2WD)	SR (i-FORCE 5-ft. bed, Double Cab 8AT 4WD)	SR (i-FORCE 5-ft. bed Double Cab 6MT 4WD)	SR (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD)	SR (i-FORCE 6-ft. bed Xtra Cab 8AT 4WD)	SR5 (i-FORCE 5-ft. bed Double Cab 8AT 2WD)
grille with integrated light bar						
High-clearance front bumper	-	-	-	-	-	-
Color-keyed rear bumper	-	-	-	-	-	S
ARB steel rear bumper and red rear recovery hooks	-	-	-	-	-	-
Steel rock rails	-	-	-	-	-	-
Power running boards	-	-	-	-	-	-
Color-keyed door handles	S	S	S	S	S	S
Chrome-finish-accented door handles	-	-	-	-	-	-
Fiber-reinforced Sheet-Molded Composite (SMC) inner bed with steel outer panels, storage compartments and rail caps, with easy lower, lockable and removable tailgate	S	S	S	S	S	S
Hard tri-fold tonneau cover - lockable, weather resistant and folds to the cab for bed access	O	O	O	O	O	O
Bed storage box	-	-	-	-	-	-
TACOMA stamped easy lower and lift tailgate with damper	-	-	-	-	-	P
"TACOMA" stamped power open and close tailgate with hands-free knee lift assist and jam protection	-	-	-	-	-	-
"TACOMA" stamped easy lower and lift tailgate	S	S	S	S	S	S
"TRD Pro" stamped power open and close tailgate with hands-free knee lift assist, integrated taillight bump switches, and jam protection	-	-	-	-	-	-
Integrated color-keyed tailgate spoiler	S	S	S	S	S	S
Chrome-finished tailgate "TACOMA" insert	-	-	-	-	-	-
Chrome-finished exhaust tip	-	-	-	-	-	-
Front and rear mudguards	O	O	O	O	O	O
High-clearance trail exhaust tip	-	-	-	-	-	-
TRD black performance exhaust	-	-	-	-	-	-
ARB steel rear bumper with red-painted recovery hooks and high-lift jack points	-	-	-	-	-	-
ARB modular bed utility bar with removable MOLLE panels	-	-	-	-	-	-
Reinforced rocker protector	-	-	-	-	-	-
Low-profile, rear-facing, high-mount air intake	-	-	-	-	-	-



	SR (i- FORCE 5-ft. bed Double Cab 8AT 2WD)	SR (i- FORCE 5-ft. bed, Double Cab 8AT 4WD)	SR (i- FORCE 5-ft. bed Double Cab 6MT 4WD)	SR (i- FORCE 6- ft. bed Xtra Cab 8AT 2WD)	SR (i- FORCE 6- ft. bed Xtra Cab 8AT 4WD)	SR5 (i- FORCE 5-ft. bed Double Cab 8AT 2WD)
Wheels & Tires						
17-in. styled steel wheels with 245/70R17 tires	S	S	S	S	S	S
17-in. machined alloy wheels with 265/70R17 all-terrain tires	-	-	-	-	-	-
18-in. machined alloy wheels with 265/65R18 tires	-	-	-	-	-	-
17-in. dark gray alloy wheels with 265/70R17 all-terrain tires	-	-	-	-	-	-
18-in. chrome-finished alloy wheels with 265/65R18 tires	-	-	-	-	-	-
18-in. Trailhunter alloy wheels with 33-in. Goodyear®[12] Territory® R/T tires	-	-	-	-	-	-
18-in. TRD Pro alloy wheels with 33-in. Goodyear® Territory® R/T tires	-	-	-	-	-	-
Windows, Glass & Wipers						
Variable intermittent windshield wipers with mist cycle	S	S	S	S	S	S
Sliding rear glass with privacy glass	S	S	S	S	S	S
Power sliding rear window with privacy glass	-	-	-	-	-	P

Additional Features...

	SR5 (i- FORCE 5- ft. bed Double Cab 8AT 4WD)	SR5 (i- FORCE 6- ft. bed Double Cab 8AT 2WD)	SR5 (i- FORCE 6- ft. bed Double Cab 8AT 4WD)	SR5 (i- FORCE 6- ft. bed Xtra Cab 8AT 2WD)	SR5 (i- FORCE 6- ft. bed Xtra Cab 8AT 4WD)	TRD Pre- Runner (i- FORCE 6-ft. bed Xtra Cab 8AT 2WD)
Safety/Convenience						
Airbags						
Driver and front passenger Advanced Airbag System[28]	S	S	S	S	S	S
Driver and front passenger seat-mounted side airbags, driver and front passenger knee airbags, and front and rear Roll-sensing Side Curtain Airbags (RSCA)[28]	S	S	S	S	S	S
Backup Camera						



	SR5 (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	SR5 (i-FORCE 6-ft. bed Double Cab 8AT 2WD)	SR5 (i-FORCE 6-ft. bed Double Cab 8AT 4WD)	SR5 (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD)	SR5 (i-FORCE 6-ft. bed Xtra Cab 8AT 4WD)	TRD Pre-Runner (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD)
Integrated backup camera[29]	S	S	S	S	S	S
3D Multi-Terrain Monitor (MTM) with selectable front, side and rear views	-	-	-	-	-	-
3D Panoramic View Monitor[7] with selectable front, side and rear views	-	-	-	-	-	-
Braking Systems						
Anti-lock Brake System (ABS) – part of Star Safety System™	S	S	S	S	S	S
Brake Assist (BA) – part of Star Safety System™	S	S	S	S	S	S
Electronic Brake-force Distribution (EBD) – part of Star Safety System™	S	S	S	S	S	S
Hill Start Assist Control (HAC) [30]	S	S	S	S	S	S
Active Traction Control (A-TRAC)	S	-	-	-	-	-
Multi-Terrain Select (MTS) and Crawl Control (CRAWL)[22]	-	-	-	-	-	-
Pre-Collision System with Pedestrian Detection (PCS w/ PD)[31] – part of Toyota Safety Sense™ P (TSS-P)[1]	S	S	S	S	S	S
Smart Stop Technology®[32] – part of Star Safety System™	S	S	S	S	S	S
Traction Control – part of Star Safety System™	S	S	S	S	S	S
Vehicle Stability Control (VSC) [33] – part of Star Safety System™	S	S	S	S	S	S
Convenience						
Smart Key System on driver door with Push Button Start	-	-	-	-	-	-
Smart Key System on driver and front passenger doors with Push Button Start	S	S	S	S	S	S
Digital Key[8] (requires an active Remote Connect trial or subscription. 4G network dependent)	P	P	P	P	P	P
Cruise Control						
Dynamic Radar Cruise Control (DRCC)[34] – part of Toyota Safety Sense™ P (TSS-P)[1]	S	S	S	S	S	S
Power Outlets						
Dual USB-C charge ports[24]	-	-	-	-	-	-

	SR5 (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	SR5 (i-FORCE 6-ft. bed Double Cab 8AT 2WD)	SR5 (i-FORCE 6-ft. bed Double Cab 8AT 4WD)	SR5 (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD)	SR5 (i-FORCE 6-ft. bed Xtra Cab 8AT 4WD)	TRD Pre-Runner (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD)
Qi-compatible wireless charging[25]	-	-	-	-	-	-
400W/120V AC power supply[11]	-	-	-	-	-	-
2400W/120V AC power supply [4]	-	-	-	-	-	-
Safety & Security						
Star Safety System™	S	S	S	S	S	S
Anti-lock Brake System (ABS) – part of Star Safety System™	S	S	S	S	S	S
Brake Assist (BA) – part of Star Safety System™	S	S	S	S	S	S
Electronic Brake-force Distribution (EBD) – part of Star Safety System™	S	S	S	S	S	S
Smart Stop Technology® (SST) [32] – part of Star Safety System™	S	S	S	S	S	S
Traction Control (TRAC) – part of Star Safety System™	S	S	S	S	S	S
Vehicle Stability Control (VSC) [33] – part of Star Safety System™	S	S	S	S	S	S
Toyota Safety Sense™ P (TSS-P) [1]	S	S	S	S	S	S
Automatic High Beams (AHB) [35] – part of Toyota Safety Sense™ P (TSS-P)[1]	S	S	S	S	S	S
Dynamic Radar Cruise Control (DRCC)[34] – part of Toyota Safety Sense™ P (TSS-P)[1]	S	S	S	S	S	S
Lane Departure Alert (LDA)[36] – part of Toyota Safety Sense™ P (TSS-P)[1]	S	S	S	S	S	S
Pre-Collision System with Pedestrian Detection (PCS w/ PD)[31] – part of Toyota Safety Sense™ P (TSS-P)[1]	S	S	S	S	S	S
Blind Spot Monitor (BSM)[5] and Rear Cross-Traffic Alert (RCTA) [37]	S	S	S	S	S	S
Integrated Trailer Brake Controller[9] with Multi-Information Display (MID) screen and trailer brake type, gain and manual trailer brake output controls	P	P	P	P	P	P
Child-protector rear door locks	-	-	S	S	S	-
Engine immobilizer[38]	S	S	S	S	S	S
Rear parking assist sonar[39]	-	P	-	P	P	-

	SR5 (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	SR5 (i-FORCE 6-ft. bed Double Cab 8AT 2WD)	SR5 (i-FORCE 6-ft. bed Double Cab 8AT 4WD)	SR5 (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD)	SR5 (i-FORCE 6-ft. bed Xtra Cab 8AT 4WD)	TRD Pre-Runner (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD)
Tire Pressure Monitor System (TPMS)[40]	-	-	-	-	-	-
Tire Pressure Monitor System (TPMS)[40] with individual tire location alert	S	S	S	S	S	S
Seatbelts & Child Restraint System						
3-point seatbelts for all seating positions; driver-side Emergency Locking Retractor (ELR) and Automatic/Emergency Locking Retractor (ALR/ELR) on all passenger seatbelts	S	S	S	S	S	S
LATCH (Lower Anchors and Tethers for Children) includes lower anchors for front passenger seat on Access Cab and outboard rear seats on Double Cab	S	S	S	S	S	S
Seats						
Driver and front passenger active headrests	S	S	S	S	S	S
Windows, Glass & Wipers						
Variable intermittent windshield wipers with mist cycle	S	S	S	S	S	S
Sliding rear glass with privacy glass	S	S	S	-	-	S
Power sliding rear window with privacy glass	P	P	P	-	-	-
Interior						
Air Conditioner, Heater & Defroster						
Air conditioning	S	-	S	-	-	S
Automatic climate control with air filtration and combined temperature settings for driver and front passenger	P	P	P	P	P	S
Dual zone automatic climate control with air filtration and individual temperature settings for driver and front passenger	-	-	-	-	-	P
Audio, Entertainment & Navigation						
Toyota Audio Multimedia with 8-in. touchscreen	S	S	S	S	S	S
Toyota Audio Multimedia with 14-in. touchscreen	P	P	P	P	P	P
Wireless Apple CarPlay® compatibility[13]	S	S	S	S	S	S
Wireless Android Auto™	S	S	S	S	S	S



	SR5 (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	SR5 (i-FORCE 6-ft. bed Double Cab 8AT 2WD)	SR5 (i-FORCE 6-ft. bed Double Cab 8AT 4WD)	SR5 (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD)	SR5 (i-FORCE 6-ft. bed Xtra Cab 8AT 4WD)	TRD Pre-Runner (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD)
compatibility[14]						
Hands-free phone capability & music streaming via <i>Bluetooth</i> ® wireless technology[3]	S	S	S	S	S	S
SiriusXM® 3-month Platinum Plan trial subscription[15]	S	S	S	S	S	S
4 speakers	-	-	-	S	S	-
6 speakers	S	S	S	S	S	S
10 JBL®[2] speakers including JBL Flex®[2] portable <i>Bluetooth</i> speaker	P	P	P	-	-	P
Drive Connect with 1-year trial on select models[16] – part of Connected Services[17] 4G network dependent	P	P	P	P	P	P
Remote Connect with 1-year trial. Subscription required after trial. 4G network dependent. – part of Connected Services[17]	-	-	-	-	-	-
Safety Connect® with up to a 10-year trial. Subscription required after trial. 4G network dependent. – part of Connected Services[17]	S	S	S	S	S	S
Service Connect with up to a 10-year trial. Subscription required after trial. 4G network dependent. – part of Connected Services[17]	-	-	-	-	-	-
Wi-Fi Connect with up a 3GB/1-month trial. Subscription required after trial. 4G network dependent. – part of Connected Services[17]	S	S	S	S	S	S
Cup & Bottle Holders						
Five cup and bottle holders	S	S	S	S	S	S
Drive Modes						
Multi-Terrain Select (MTS) and Crawl Control (CRAWL)[22]	-	-	-	-	-	-
Instrumentation						
Analog instrumentation with speedometer, tachometer, coolant temperature, and fuel gauges	S	S	S	S	S	S
4.2-in. color Multi-Information Display (MID) with outside temperature, odometer, tripmeters, and average fuel economy	S	S	S	S	S	S



	SR5 (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	SR5 (i-FORCE 6-ft. bed Double Cab 8AT 2WD)	SR5 (i-FORCE 6-ft. bed Double Cab 8AT 4WD)	SR5 (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD)	SR5 (i-FORCE 6-ft. bed Xtra Cab 8AT 4WD)	TRD Pre-Runner (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD)
12.3-in. digital meter with selectable gauge display screens and fuel economy, Driver Assist, vehicle/trip information, and warning messages	P	P	P	P	P	P
Head-Up Display (HUD)	-	-	-	-	-	-
Lights						
Overhead console with maplights, garage door opener compartment and sunglasses storage	S	S	S	S	S	S
Mirrors						
Manual day/night rearview mirror	-	-	-	-	-	-
Auto-dimming day/night rearview mirror	S	S	S	S	S	S
Digital display auto-dimming rearview mirror with compass and HomeLink®[23] universal transceiver	-	-	-	-	-	-
Digital rearview mirror with HomeLink®[23] universal transceiver	-	-	-	-	-	-
Power Outlets						
Dual USB-C charge ports[24]	-	-	-	-	-	-
Qi-compatible wireless charging[25]	-	-	-	-	-	-
400W/120V AC power supply[11]	-	-	-	-	-	-
2400W/120V AC power supply [4]	-	-	-	-	-	-
Seats						
6-way adjustable driver's seat with lumbar support	S	S	S	-	-	-
8-way power adjustable driver's seat including 4-way lumbar support	-	S	-	S	S	-
8-way power-adjustable driver seats with 4-way power-adjustable lumbar support	-	-	-	-	-	-
6-way adjustable front passenger seat	S	S	S	S	S	S
8-way power-adjustable front passenger seats with 4-way power-adjustable lumbar support	-	-	-	-	-	-
Fabric-trimmed seats	S	S	S	S	S	S
SofTex®-trimmed seats[6]	-	-	-	-	-	-



	SR5 (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	SR5 (i-FORCE 6-ft. bed Double Cab 8AT 2WD)	SR5 (i-FORCE 6-ft. bed Double Cab 8AT 4WD)	SR5 (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD)	SR5 (i-FORCE 6-ft. bed Xtra Cab 8AT 4WD)	TRD Pre-Runner (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD)
Heated front seats	P	P	P	P	P	-
Heated and ventilated front seats	-	-	-	-	-	-
TRD Pro SofTex®-trimmed[6] IsoDynamic performance front seats with contrast stitching and technical-camo-pattern inserts	-	-	-	-	-	-
60/40 split fold-down rear seat with under-seat storage	S	S	S	-	-	S
Fold-flat passenger seat, lockable rear storage panel with integrated pegboard, and lockable deep storage compartment	-	-	-	S	S	S
Steering Wheel						
Polyurethane manual tilt/telescopic steering wheel with phone, audio, display/infotainment, and Driver Assist controls	S	S	S	S	S	-
Leather-trimmed manual tilt/telescopic steering wheel with phone, audio, display/infotainment, and Driver Assist controls	P	P	P	P	P	S
TRD Pro leather-trimmed manual tilt/telescopic steering wheel with TRD badge, red center stripe, and phone, audio, display/infotainment, and Driver Assist controls	-	-	-	-	-	-
Heated steering wheel	P	P	P	P	P	-
Storage Areas						
Center console with covered armrest and storage compartment	S	S	S	S	S	S
Overhead console with maplights, garage door opener compartment and sunglasses storage	S	S	S	S	S	S
Trim						
Leather-trimmed shift lever	-	-	-	P	-	-
TRD Pro shift knob	-	-	-	-	-	-
TRD Pro floor mats[26]	-	-	-	-	-	-
Exterior						
Lights						
LED headlights	S	S	S	S	S	S
LED Daytime Running Lights	S	S	S	S	S	S



	SR5 (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	SR5 (i-FORCE 6-ft. bed Double Cab 8AT 2WD)	SR5 (i-FORCE 6-ft. bed Double Cab 8AT 4WD)	SR5 (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD)	SR5 (i-FORCE 6-ft. bed Xtra Cab 8AT 4WD)	TRD Pre-Runner (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD)
(DRL)						
Sequential LED turn signals	-	-	-	-	P	P
Integrated bed scene lighting	-	-	-	-	-	-
LED bed lighting	P	P	P	P	P	P
LED fog lights	P	P	P	P	P	S
Rigid Industries®[10] LED fog lights	-	-	-	-	-	-
Rigid Industries®[10] white-and-yellow-color switching LED fog lights	-	-	-	-	-	-
Mirrors						
Color-keyed, heated, power outside mirrors	S	S	S	S	S	S
Chrome-finish accented, heated, power outside mirrors	-	-	-	-	-	-
Outside mirrors with turn signal indicators	-	-	-	-	-	-
Moonroof						
Power tilt/slide moonroof and sliding sunshade	-	-	-	-	-	-
Power Outlets						
400W/120V AC power supply[11]	-	-	-	-	-	-
2400W/120V AC power supply [4]	-	-	-	-	-	-
Racks						
Four fixed cargo bed tie-down points	S	S	S	S	S	S
Deck rail system with four adjustable tie-down cleats and four fixed cargo bed tie-down points	P	P	P	P	P	P
Skid Plates						
Skid plate(s) on engine/front suspension	S	S	S	S	S	S
Underbody fuel tank protection	-	-	-	-	-	S
Composite front skid plate, with underbody transfer case and fuel tank protection	-	-	-	-	-	-
TRD Pro aluminum front skid plate, with underbody transfer case and fuel tank protection	-	-	-	-	-	-
Transfer case protector	-	-	-	-	-	-
Steel underbody protection, including front skid plate, transfer case protector, fuel tank protector, and rear	-	-	-	-	-	-



	SR5 (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	SR5 (i-FORCE 6-ft. bed Double Cab 8AT 2WD)	SR5 (i-FORCE 6-ft. bed Double Cab 8AT 4WD)	SR5 (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD)	SR5 (i-FORCE 6-ft. bed Xtra Cab 8AT 4WD)	TRD Pre-Runner (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD)
differential protector						
Trim						
Dark gray grille with black surround; color-keyed rear bumper	-	-	-	-	-	-
Charcoal grille with chrome-finished surround and rear bumper	S	-	S	-	-	S
Charcoal grille with chrome-finished surround; color-keyed overfenders; chrome-finish rear bumper	-	S	-	S	S	-
Silver-colored grille with front camera and chrome-finished surround; color-keyed overfenders and rear bumper	-	-	-	-	-	-
Gray grille with smoked finish and chrome-finished surround; hood scoop and color-keyed overfenders and rear bumper	-	-	-	-	-	-
Gray grille with smoked finish and chrome-finish surround; black overfenders and chrome-finish rear bumper	-	-	-	-	-	-
Heritage-inspired "TOYOTA" front grille with integrated light bar	-	-	-	-	-	-
High-clearance front bumper	-	-	-	-	-	-
Color-keyed rear bumper	S	S	S	S	S	S
ARB steel rear bumper and red rear recovery hooks	-	-	-	-	-	-
Steel rock rails	-	-	-	-	-	-
Power running boards	-	-	-	-	-	-
Color-keyed door handles	S	S	S	S	S	S
Chrome-finish-accented door handles	-	-	-	P	P	-
Fiber-reinforced Sheet-Molded Composite (SMC) inner bed with steel outer panels, storage compartments and rail caps, with easy lower, lockable and removable tailgate	S	S	S	S	S	S
Hard tri-fold tonneau cover - lockable, weather resistant and folds to the cab for bed access	O	O	O	O	O	O
Bed storage box	-	-	-	-	-	-
TACOMA stamped easy lower and lift tailgate with damper	P	P	P	P	P	P
"TACOMA" stamped power open	-	-	-	-	-	-



	SR5 (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	SR5 (i-FORCE 6-ft. bed Double Cab 8AT 2WD)	SR5 (i-FORCE 6-ft. bed Double Cab 8AT 4WD)	SR5 (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD)	SR5 (i-FORCE 6-ft. bed Xtra Cab 8AT 4WD)	TRD Pre-Runner (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD)
and close tailgate with hands-free knee lift assist and jam protection						
"TACOMA" stamped easy lower and lift tailgate	S	S	S	S	S	S
"TRD Pro" stamped power open and close tailgate with hands-free knee lift assist, integrated taillight bump switches, and jam protection	-	-	-	-	-	-
Integrated color-keyed tailgate spoiler	S	S	S	S	S	S
Chrome-finished tailgate "TACOMA" insert	-	-	-	P	P	-
Chrome-finished exhaust tip	-	-	-	-	-	-
Front and rear mudguards	O	O	O	O	O	O
High-clearance trail exhaust tip	-	-	-	-	-	-
TRD black performance exhaust	-	-	-	-	-	-
ARB steel rear bumper with red-painted recovery hooks and high-lift jack points	-	-	-	-	-	-
ARB modular bed utility bar with removable MOLLE panels	-	-	-	-	-	-
Reinforced rocker protector	-	-	-	-	-	-
Low-profile, rear-facing, high-mount air intake	-	-	-	-	-	-
Wheels & Tires						
17-in. styled steel wheels with 245/70R17 tires	S	S	S	S	S	-
17-in. machined alloy wheels with 265/70R17 all-terrain tires	-	-	-	-	-	-
18-in. machined alloy wheels with 265/65R18 tires	-	-	-	-	-	-
17-in. dark gray alloy wheels with 265/70R17 all-terrain tires	-	-	-	-	-	S
18-in. chrome-finished alloy wheels with 265/65R18 tires	-	-	-	-	-	-
18-in. Trailhunter alloy wheels with 33-in. Goodyear®[12] Territory® R/T tires	-	-	-	-	-	-
18-in. TRD Pro alloy wheels with 33-in. Goodyear® Territory® R/T tires	-	-	-	-	-	-
Windows, Glass & Wipers						
Variable intermittent windshield wipers with mist cycle	S	S	S	S	S	S
Sliding rear glass with privacy	S	S	S	-	-	S



	SR5 (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	SR5 (i-FORCE 6-ft. bed Double Cab 8AT 2WD)	SR5 (i-FORCE 6-ft. bed Double Cab 8AT 4WD)	SR5 (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD)	SR5 (i-FORCE 6-ft. bed Xtra Cab 8AT 4WD)	TRD Pre-Runner (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD)
glass						
Power sliding rear window with privacy glass	P	P	P	-	-	-

Additional Features...

	TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 2WD)	TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	TRD Sport (i-FORCE 5-ft. bed Double Cab 6MT 4WD)	TRD Sport (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)	TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 2WD)	TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 4WD)
--	--	--	--	--	--	--

Safety/Convenience

Airbags

Driver and front passenger Advanced Airbag System[28]	S	S	S		S	S
Driver and front passenger seat-mounted side airbags, driver and front passenger knee airbags, and front and rear Roll-sensing Side Curtain Airbags (RSCA)[28]	S	S	S		S	S

Backup Camera

Integrated backup camera[29]	S	S	S		S	S
3D Multi-Terrain Monitor (MTM) with selectable front, side and rear views	-	-	-		-	-
3D Panoramic View Monitor[7] with selectable front, side and rear views	P	P	P		P	P

Braking Systems

Anti-lock Brake System (ABS) – part of Star Safety System™	S	S	S		S	S
Brake Assist (BA) – part of Star Safety System™	S	S	S		S	S
Electronic Brake-force Distribution (EBD) – part of Star Safety System™	S	S	S		S	S
Hill Start Assist Control (HAC) [30]	S	S	S		S	S
Active Traction Control (A-TRAC)	-	-	-		-	-
Multi-Terrain Select (MTS) and	-	-	-		-	-



	TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 2WD)	TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	TRD Sport (i-FORCE 5-ft. bed Double Cab 6MT 4WD)	TRD Sport (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)	TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 2WD)	TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 4WD)
Crawl Control (CRAWL)[22]						
Pre-Collision System with Pedestrian Detection (PCS w/ PD)[31] – part of Toyota Safety Sense™ P (TSS-P)[1]	S	S	S		S	S
Smart Stop Technology®[32] – part of Star Safety System™	S	S	S		S	S
Traction Control – part of Star Safety System™	S	S	S		S	S
Vehicle Stability Control (VSC) [33] – part of Star Safety System™	S	S	S		S	S
Convenience						
Smart Key System on driver door with Push Button Start	–	–	–		–	–
Smart Key System on driver and front passenger doors with Push Button Start	S	S	S		S	S
Digital Key[8] (requires an active Remote Connect trial or subscription. 4G network dependent)	P	P	P		P	P
Cruise Control						
Dynamic Radar Cruise Control (DRCC)[34] – part of Toyota Safety Sense™ P (TSS-P)[1]	S	S	S		S	S
Power Outlets						
Dual USB-C charge ports[24]	P	P	P		P	P
Qi-compatible wireless charging[25]	P	P	P		P	P
400W/120V AC power supply [11]	S	S	S		S	S
2400W/120V AC power supply [4]	–	–	–		–	–
Safety & Security						
Star Safety System™	S	S	S		S	S
Anti-lock Brake System (ABS) – part of Star Safety System™	S	S	S		S	S
Brake Assist (BA) – part of Star Safety System™	S	S	S		S	S
Electronic Brake-force Distribution (EBD) – part of Star Safety System™	S	S	S		S	S
Smart Stop Technology® (SST) [32] – part of Star Safety System™	S	S	S		S	S
Traction Control (TRAC) – part	S	S	S		S	S

	TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 2WD)	TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	TRD Sport (i-FORCE 5-ft. bed Double Cab 6MT 4WD)	TRD Sport (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)	TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 2WD)	TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 4WD)
of Star Safety System™						
Vehicle Stability Control (VSC) [33] – part of Star Safety System™	S	S	S		S	S
Toyota Safety Sense™ P (TSS- P)[1]	S	S	S		S	S
Automatic High Beams (AHB) [35] – part of Toyota Safety Sense™ P (TSS-P)[1]	S	S	S		S	S
Dynamic Radar Cruise Control (DRCC)[34] – part of Toyota Safety Sense™ P (TSS-P)[1]	S	S	S		S	S
Lane Departure Alert (LDA) [36] – part of Toyota Safety Sense™ P (TSS-P)[1]	S	S	S		S	S
Pre-Collision System with Pedestrian Detection (PCS w/ PD)[31] – part of Toyota Safety Sense™ P (TSS-P)[1]	S	S	S		S	S
Blind Spot Monitor (BSM)[5] and Rear Cross-Traffic Alert (RCTA)[37]	S	S	S		S	S
Integrated Trailer Brake Controller[9] with Multi- Information Display (MID) screen and trailer brake type, gain and manual trailer brake output controls	P	P	P		P	P
Child-protector rear door locks	–	S	S		S	–
Engine immobilizer[38]	S	S	S		S	S
Rear parking assist sonar[39]	P	P	P		P	P
Tire Pressure Monitor System (TPMS)[40]	–	–	–		fcr	–
Tire Pressure Monitor System (TPMS)[40] with individual tire location alert	S	S	S		S	S
Seatbelts & Child Restraint System						
3-point seatbelts for all seating positions; driver-side Emergency Locking Retractor (ELR) and Automatic/ Emergency Locking Retractor (ALR/ELR) on all passenger seatbelts	S	S	S		S	S
LATCH (Lower Anchors and Tethers for CHildren) includes lower anchors for front passenger seat on Access Cab and outboard rear seats on Double Cab	S	S	S		S	S



	TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 2WD)	TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	TRD Sport (i-FORCE 5-ft. bed Double Cab 6MT 4WD)	TRD Sport (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)	TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 2WD)	TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 4WD)
Seats						
Driver and front passenger active headrests	S	S	S		S	S
Windows, Glass & Wipers						
Variable intermittent windshield wipers with mist cycle	S	S	S		S	S
Sliding rear glass with privacy glass	S	-	-		-	S
Power sliding rear window with privacy glass	P	P	P		P	P
Interior						
Air Conditioner, Heater & Defroster						
Air conditioning	-	S	-		S	-
Automatic climate control with air filtration and combined temperature settings for driver and front passenger	S	S	S		S	S
Dual zone automatic climate control with air filtration and individual temperature settings for driver and front passenger	P	P	P		P	P
Audio, Entertainment & Navigation						
Toyota Audio Multimedia with 8-in. touchscreen	S	S	S		S	S
Toyota Audio Multimedia with 14-in. touchscreen	P	P	-		P	P
Wireless Apple CarPlay® compatibility[13]	S	S	S		S	S
Wireless Android Auto™ compatibility[14]	S	S	S		S	S
Hands-free phone capability & music streaming via Bluetooth® wireless technology[3]	S	S	S		S	S
SiriusXM® 3-month Platinum Plan trial subscription[15]	S	S	S		S	S
4 speakers	-	-	-		-	-
6 speakers	S	S	S		S	S
10 JBL®[2] speakers including JBL Flex®[2] portable Bluetooth speaker	P	P	P		P	P
Drive Connect with 1-year trial on select models[16] - part of Connected Services[17] 4G	P	P	-		P	P

	TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 2WD)	TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	TRD Sport (i-FORCE 5-ft. bed Double Cab 6MT 4WD)	TRD Sport (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)	TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 2WD)	TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 4WD)
network dependent						
Remote Connect with 1-year trial. Subscription required after trial. 4G network dependent. – part of Connected Services[17]	–	–	–		–	S
Safety Connect® with up to a 10-year trial. Subscription required after trial. 4G network dependent. – part of Connected Services[17]	S	S	S		S	S
Service Connect with up to a 10-year trial. Subscription required after trial. 4G network dependent. – part of Connected Services[17]	–	–	–		–	S
Wi-Fi Connect with up a 3GB/1-month trial. Subscription required after trial. 4G network dependent. – part of Connected Services[17]	S	S	S		S	S
Cup & Bottle Holders						
Five cup and bottle holders	S	S	S		–	S
Drive Modes						
Multi-Terrain Select (MTS) and Crawl Control (CRAWL)[22]	–	–	–		–	–
Instrumentation						
Analog instrumentation with speedometer, tachometer, coolant temperature, and fuel gauges	S	S	S		S	S
4.2-in. color Multi-Information Display (MID) with outside temperature, odometer, tripmeters, and average fuel economy	S	S	S		S	S
12.3-in. digital meter with selectable gauge display screens and fuel economy, Driver Assist, vehicle/trip information, and warning messages	P	P	P		P	P
Head-Up Display (HUD)	–	–	–		–	–
Lights						
Overhead console with maplights, garage door opener compartment and sunglasses storage	S	S	S		S	S
Mirrors						



	TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 2WD)	TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	TRD Sport (i-FORCE 5-ft. bed Double Cab 6MT 4WD)	TRD Sport (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)	TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 2WD)	TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 4WD)
Manual day/night rearview mirror	-	-	-		-	-
Auto-dimming day/night rearview mirror	S	S	S		S	S
Digital display auto-dimming rearview mirror with compass and HomeLink®[23] universal transceiver	P	P	P		P	P
Digital rearview mirror with HomeLink®[23] universal transceiver	P	P	P		P	P

Power Outlets

Dual USB-C charge ports[24]	P	P	P		P	P
Qi-compatible wireless charging[25]	P	P	P		P	P
400W/120V AC power supply [11]	S	S	S		S	S
2400W/120V AC power supply [4]	-	-	-		-	-

Seats

6-way adjustable driver's seat with lumbar support	S	S	S		S	S
8-way power adjustable driver's seat including 4-way lumbar support	S	S	S		-	-
8-way power-adjustable driver seats with 4-way power-adjustable lumbar support	P	P	P		P	P
6-way adjustable front passenger seat	S	S	S		S	S
8-way power-adjustable front passenger seats with 4-way power-adjustable lumbar support	P	P	P		P	P
Fabric-trimmed seats	S	S	S		S	S
SofTex®-trimmed seats[6]	P	P	P		P	P
Heated front seats	P	P	P		P	P
Heated and ventilated front seats	P	P	P		P	P
TRD Pro SofTex®-trimmed[6] IsoDynamic performance front seats with contrast stitching and technical-camo-pattern inserts	-	-	-		-	-
60/40 split fold-down rear seat with under-seat storage	S	S	S		S	S
Fold-flat passenger seat,	-	-	-		-	-

	TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 2WD)	TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	TRD Sport (i-FORCE 5-ft. bed Double Cab 6MT 4WD)	TRD Sport (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)	TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 2WD)	TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 4WD)
lockable rear storage panel with integrated pegboard, and lockable deep storage compartment						
Steering Wheel						
Polyurethane manual tilt/telescopic steering wheel with phone, audio, display/infotainment, and Driver Assist controls	-	-	-		-	-
Leather-trimmed manual tilt/telescopic steering wheel with phone, audio, display/infotainment, and Driver Assist controls	S	S	S		S	S
TRD Pro leather-trimmed manual tilt/telescopic steering wheel with TRD badge, red center stripe, and phone, audio, display/infotainment, and Driver Assist controls	-	-	-		-	-
Heated steering wheel	P	P	P		P	P
Storage Areas						
Center console with covered armrest and storage compartment	S	S	S			S
Overhead console with maplights, garage door opener compartment and sunglasses storage	S	S	S		S	S
Trim						
Leather-trimmed shift lever	-	P	-		-	S
TRD Pro shift knob	-	-	-		-	-
TRD Pro floor mats[26]	-	-	-		-	-
Exterior						
Lights						
LED headlights	S	S	S		S	S
LED Daytime Running Lights (DRL)	S	S	S		S	S
Sequential LED turn signals	P	P	P		P	P
Integrated bed scene lighting	-	-	-		-	-
LED bed lighting	S	S	S		S	S
LED fog lights	S	S	S		S	S
Rigid Industries®[10] LED fog lights	-	-	-		-	-
Rigid Industries®[10] white-	-	-	-		-	-

	TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 2WD)	TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	TRD Sport (i-FORCE 5-ft. bed Double Cab 6MT 4WD)	TRD Sport (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)	TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 2WD)	TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 4WD)
and-yellow-color switching LED fog lights						
Mirrors						
Color-keyed, heated, power outside mirrors	S	S	S		S	S
Chrome-finish accented, heated, power outside mirrors	-	-	-		-	-
Outside mirrors with turn signal indicators	-	-	-		-	S
Moonroof						
Power tilt/slide moonroof and sliding sunshade	P	P	P		P	P
Power Outlets						
400W/120V AC power supply [11]	S	S	S		S	S
2400W/120V AC power supply [4]	-	-	-		-	-
Racks						
Four fixed cargo bed tie-down points	S	S	S		S	S
Deck rail system with four adjustable tie-down cleats and four fixed cargo bed tie- down points	P	P	P		P	P
Skid Plates						
Skid plate(s) on engine/front suspension	S	S	S		S	S
Underbody fuel tank protection	-	-	-		-	-
Composite front skid plate, with underbody transfer case and fuel tank protection	-	-	-		-	-
TRD Pro aluminum front skid plate, with underbody transfer case and fuel tank protection	-	-	-		-	-
Transfer case protector	-	-	-		-	-
Steel underbody protection, including front skid plate, transfer case protector, fuel tank protector, and rear differential protector	-	-	-		-	-
Trim						
Dark gray grille with black surround; color-keyed rear bumper	-	-	-		-	-
Charcoal grille with chrome-	-	-	-		-	-

	TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 2WD)	TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	TRD Sport (i-FORCE 5-ft. bed Double Cab 6MT 4WD)	TRD Sport (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)	TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 2WD)	TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 4WD)
finished surround and rear bumper						
Charcoal grille with chrome-finished surround; color-keyed overfenders; chrome-finish rear bumper	S	S	S		-	-
Silver-colored grille with front camera and chrome-finished surround; color-keyed overfenders and rear bumper	-	-	-		-	-
Gray grille with smoked finish and chrome-finished surround; hood scoop and color-keyed overfenders and rear bumper	-	-	-		-	S
Gray grille with smoked finish and chrome-finish surround; black overfenders and chrome-finish rear bumper	-	-	-		-	-
Heritage-inspired "TOYOTA" front grille with integrated light bar	-	-	-		-	-
High-clearance front bumper	-	-	-		-	-
Color-keyed rear bumper	S	S	S		S	S
ARB steel rear bumper and red rear recovery hooks	-	-	-		-	-
Steel rock rails	-	-	-		-	-
Power running boards	-	-	-		-	-
Color-keyed door handles	S	S	S		S	S
Chrome-finish-accented door handles	-	P	P		-	-
Fiber-reinforced Sheet-Molded Composite (SMC) inner bed with steel outer panels, storage compartments and rail caps, with easy lower, lockable and removable tailgate	S	S	S		S	S
Hard tri-fold tonneau cover – lockable, weather resistant and folds to the cab for bed access	O	O	O		O	O
Bed storage box	P	P	P		P	P
TACOMA stamped easy lower and lift tailgate with damper	P	P	P		P	P
"TACOMA" stamped power open and close tailgate with hands-free knee lift assist and jam protection	P	P	P		P	P
"TACOMA" stamped easy	S	S	S		S	S



	TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 2WD)	TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	TRD Sport (i-FORCE 5-ft. bed Double Cab 6MT 4WD)	TRD Sport (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)	TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 2WD)	TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 4WD)
lower and lift tailgate						
"TRD Pro" stamped power open and close tailgate with hands-free knee lift assist, integrated taillight bump switches, and jam protection	-	-	-		-	-
Integrated color-keyed tailgate spoiler	S	S	S		S	S
Chrome-finished tailgate "TACOMA" insert	-	P	P		-	-
Chrome-finished exhaust tip	-	-	-		-	-
Front and rear mudguards	O	O	O		O	O
High-clearance trail exhaust tip	-	-	-		-	-
TRD black performance exhaust	-	-	-		-	-
ARB steel rear bumper with red-painted recovery hooks and high-lift jack points	-	-	-		-	-
ARB modular bed utility bar with removable MOLLE panels	-	-	-		-	-
Reinforced rocker protector	-	-	-		-	-
Low-profile, rear-facing, high-mount air intake	-	-	-		-	-
Wheels & Tires						
17-in. styled steel wheels with 245/70R17 tires	-	-	-		-	-
17-in. machined alloy wheels with 265/70R17 all-terrain tires	-	-	-		-	-
18-in. machined alloy wheels with 265/65R18 tires	S	S	S		S	S
17-in. dark gray alloy wheels with 265/70R17 all-terrain tires	-	-	-		-	S
18-in. chrome-finished alloy wheels with 265/65R18 tires	-	-	-		-	-
18-in. Trailhunter alloy wheels with 33-in. Goodyear®[12] Territory® R/T tires	-	-	-		-	-
18-in. TRD Pro alloy wheels with 33-in. Goodyear® Territory® R/T tires	-	-	-		-	-
Windows, Glass & Wipers						
Variable intermittent windshield wipers with mist cycle	S	S	S		S	S
Sliding rear glass with privacy	S	-	-		-	S



	TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 2WD)	TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	TRD Sport (i-FORCE 5-ft. bed Double Cab 6MT 4WD)	TRD Sport (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)	TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 2WD)	TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 4WD)
glass						
Power sliding rear window with privacy glass	P	P	P		P	P

Additional Features...

	TRD Off-Road (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	TRD Off-Road (i-FORCE 6-ft. bed Double Cab 8AT 4WD)	TRD Off-Road (i-FORCE 5-ft. bed Double Cab 6MT 4WD)	Limited (i-FORCE 5-ft. bed Double Cab 8AT 4WD)
Safety/Convenience				
Airbags				
Driver and front passenger Advanced Airbag System[28]	S	S	S	S
Driver and front passenger seat-mounted side airbags, driver and front passenger knee airbags, and front and rear Roll-sensing Side Curtain Airbags (RSCA)[28]	S	S	S	S
Backup Camera				
Integrated backup camera[29]	-	-	-	-
3D Multi-Terrain Monitor (MTM) with selectable front, side and rear views	P	P	P	-
3D Panoramic View Monitor[7] with selectable front, side and rear views	-	-	-	S
Braking Systems				
Anti-lock Brake System (ABS) – part of Star Safety System™	S	S	S	S
Brake Assist (BA) – part of Star Safety System™	S	S	S	S
Electronic Brake-force Distribution (EBD) – part of Star Safety System™	S	S	S	S
Hill Start Assist Control (HAC)[30]	S	S	S	-
Active Traction Control (A-TRAC)	-	-	-	S
Multi-Terrain Select (MTS) and Crawl Control (CRAWL)[22]	S	S	S	-
Pre-Collision System with Pedestrian Detection (PCS w/PD)[31] – part of Toyota Safety Sense™ P (TSS-P)[1]	S	S	S	S
Smart Stop Technology®[32] – part of Star Safety System™	S	S	S	S
Traction Control – part of Star Safety System™	S	S	S	S



	TRD Off-Road (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	TRD Off-Road (i-FORCE 6-ft. bed Double Cab 8AT 4WD)	TRD Off-Road (i-FORCE 5-ft. bed Double Cab 6MT 4WD)	Limited (i- FORCE 5-ft. bed Double Cab 8AT 4WD)
Vehicle Stability Control (VSC)[33] – part of Star Safety System™	S	S	S	S
Convenience				
Smart Key System on driver door with Push Button Start	–	–	–	–
Smart Key System on driver and front passenger doors with Push Button Start	S	S	S	S
Digital Key[8] (requires an active Remote Connect trial or subscription. 4G network dependent)	P	P	P	P
Cruise Control				
Dynamic Radar Cruise Control (DRCC)[34] – part of Toyota Safety Sense™ P (TSS-P)[1]	S	S	S	S
Power Outlets				
Dual USB-C charge ports[24]	P	P	P	S
Qi-compatible wireless charging[25]	P	P	P	S
400W/120V AC power supply[11]	S	S	S	S
2400W/120V AC power supply[4]	–	–	–	–
Safety & Security				
Star Safety System™	S	S	S	S
Anti-lock Brake System (ABS) – part of Star Safety System™	S	S	S	S
Brake Assist (BA) – part of Star Safety System™	S	S	S	S
Electronic Brake-force Distribution (EBD) – part of Star Safety System™	S	S	S	S
Smart Stop Technology® (SST)[32] – part of Star Safety System™	S	S	S	S
Traction Control (TRAC) – part of Star Safety System™	S	S	S	S
Vehicle Stability Control (VSC)[33] – part of Star Safety System™	S	S	S	S
Toyota Safety Sense™ P (TSS-P)[1]	S	S	S	S
Automatic High Beams (AHB)[35] – part of Toyota Safety Sense™ P (TSS-P)[1]	S	S	S	S
Dynamic Radar Cruise Control (DRCC)[34] – part of Toyota Safety Sense™ P (TSS-P)[1]	S	S	S	S
Lane Departure Alert (LDA)[36] – part of Toyota Safety Sense™ P (TSS-P)[1]	S	S	S	S
Pre-Collision System with Pedestrian Detection (PCS w/PD)[31] – part of Toyota Safety Sense™ P (TSS-P)[1]	S	S	S	S
Blind Spot Monitor (BSM)[5] and Rear Cross-Traffic Alert (RCTA)[37]	S	S	S	S
Integrated Trailer Brake Controller[9] with Multi-Information Display (MID) screen and trailer brake type, gain and manual trailer brake output controls	P	P	P	S

	TRD Off-Road (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	TRD Off-Road (i-FORCE 6-ft. bed Double Cab 8AT 4WD)	TRD Off-Road (i-FORCE 5-ft. bed Double Cab 6MT 4WD)	Limited (i- FORCE 5-ft. bed Double Cab 8AT 4WD)
Child-protector rear door locks	S	S	-	-
Engine immobilizer[38]	S	S	S	S
Rear parking assist sonar[39]	P	P	P	P
Tire Pressure Monitor System (TPMS)[40]	-	-	-	-
Tire Pressure Monitor System (TPMS)[40] with individual tire location alert	S	S	S	S
Seatbelts & Child Restraint System				
3-point seatbelts for all seating positions; driver-side Emergency Locking Retractor (ELR) and Automatic/Emergency Locking Retractor (ALR/ELR) on all passenger seatbelts	S	S	S	S
LATCH (Lower Anchors and Tethers for Children) includes lower anchors for front passenger seat on Access Cab and outboard rear seats on Double Cab	S	S	S	S
Seats				
Driver and front passenger active headrests	S	S	S	S
Windows, Glass & Wipers				
Variable intermittent windshield wipers with mist cycle	S	S	S	S
Sliding rear glass with privacy glass	-	-	S	S
Power sliding rear window with privacy glass	P	P	P	S
Interior				
Air Conditioner, Heater & Defroster				
Air conditioning	-	-	-	S
Automatic climate control with air filtration and combined temperature settings for driver and front passenger	S	S	S	-
Dual zone automatic climate control with air filtration and individual temperature settings for driver and front passenger	P	P	P	S
Audio, Entertainment & Navigation				
Toyota Audio Multimedia with 8-in. touchscreen	S	S	S	-
Toyota Audio Multimedia with 14-in. touchscreen	P	P	P	S
Wireless Apple CarPlay® compatibility[13]	S	S	S	S
Wireless Android Auto™ compatibility[14]	S	S	S	S
Hands-free phone capability & music streaming via Bluetooth® wireless technology[3]	S	S	S	S
SiriusXM® 3-month Platinum Plan trial subscription[15]	S	S	S	S
4 speakers	-	-	-	-
6 speakers	S	S	S	S

	TRD Off-Road (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	TRD Off-Road (i-FORCE 6-ft. bed Double Cab 8AT 4WD)	TRD Off-Road (i-FORCE 5-ft. bed Double Cab 6MT 4WD)	Limited (i- FORCE 5-ft. bed Double Cab 8AT 4WD)
10 JBL®[2] speakers including JBL Flex®[2] portable Bluetooth speaker	P	P	P	S
Drive Connect with 1-year trial on select models[16] – part of Connected Services [17] 4G network dependent	P	P	P	–
Remote Connect with 1-year trial. Subscription required after trial. 4G network dependent. – part of Connected Services[17]	S	S	S	–
Safety Connect® with up to a 10-year trial. Subscription required after trial. 4G network dependent. – part of Connected Services[17]	S	S	S	S
Service Connect with up to a 10-year trial. Subscription required after trial. 4G network dependent. – part of Connected Services[17]	S	S	S	–
Wi-Fi Connect with up a 3GB/1-month trial. Subscription required after trial. 4G network dependent. – part of Connected Services[17]	S	S	S	S
Cup & Bottle Holders				
Five cup and bottle holders	S	S	S	–
Drive Modes				
Multi-Terrain Select (MTS) and Crawl Control (CRAWL)[22]	S	S	S	–
Instrumentation				
Analog instrumentation with speedometer, tachometer, coolant temperature, and fuel gauges	S	S	S	S
4.2-in. color Multi-Information Display (MID) with outside temperature, odometer, tripmeters, and average fuel economy	S	S	S	S
12.3-in. digital meter with selectable gauge display screens and fuel economy, Driver Assist, vehicle/trip information, and warning messages	P	P	P	S
Head-Up Display (HUD)	–	–	–	S
Lights				
Overhead console with maplights, garage door opener compartment and sunglasses storage	S	S	S	S
Mirrors				
Manual day/night rearview mirror	–	–	–	–
Auto-dimming day/night rearview mirror	S	S	S	–
Digital display auto-dimming rearview mirror with compass and HomeLink®[23] universal transceiver	P	P	P	S
Digital rearview mirror with HomeLink®[23] universal transceiver	P	P	P	–



	TRD Off-Road (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	TRD Off-Road (i-FORCE 6-ft. bed Double Cab 8AT 4WD)	TRD Off-Road (i-FORCE 5-ft. bed Double Cab 6MT 4WD)	Limited (i- FORCE 5-ft. bed Double Cab 8AT 4WD)
Power Outlets				
Dual USB-C charge ports[24]	P	P	P	S
Qi-compatible wireless charging[25]	P	P	P	S
400W/120V AC power supply[11]	S	S	S	S
2400W/120V AC power supply[4]	-	-	-	-
Seats				
6-way adjustable driver's seat with lumbar support	S	S	S	-
8-way power adjustable driver's seat including 4-way lumbar support	-	-	-	-
8-way power-adjustable driver seats with 4-way power-adjustable lumbar support	P	P	P	S
6-way adjustable front passenger seat	S	S	S	S
8-way power-adjustable front passenger seats with 4-way power-adjustable lumbar support	P	P	P	S
Fabric-trimmed seats	S	S	S	S
SofTex®-trimmed seats[6]	P	P	P	S
Heated front seats	P	P	P	-
Heated and ventilated front seats	P	P	P	S
TRD Pro SofTex®-trimmed[6] IsoDynamic performance front seats with contrast stitching and technical-camo-pattern inserts	-	-	-	-
60/40 split fold-down rear seat with under-seat storage	S	S	S	S
Fold-flat passenger seat, lockable rear storage panel with integrated pegboard, and lockable deep storage compartment	-	-	-	-
Steering Wheel				
Polyurethane manual tilt/telescopic steering wheel with phone, audio, display/infotainment, and Driver Assist controls	-	-	-	-
Leather-trimmed manual tilt/telescopic steering wheel with phone, audio, display/infotainment, and Driver Assist controls	S	S	S	S
TRD Pro leather-trimmed manual tilt/telescopic steering wheel with TRD badge, red center stripe, and phone, audio, display/infotainment, and Driver Assist controls	-	-	-	-
Heated steering wheel	P	P	P	S
Storage Areas				
Center console with covered armrest and storage compartment	S	S	S	S
Overhead console with maplights, garage door opener compartment and sunglasses storage	S	S	S	S



	TRD Off-Road (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	TRD Off-Road (i-FORCE 6-ft. bed Double Cab 8AT 4WD)	TRD Off-Road (i-FORCE 5-ft. bed Double Cab 6MT 4WD)	Limited (i- FORCE 5-ft. bed Double Cab 8AT 4WD)
Trim				
Leather-trimmed shift lever	S	S	S	S
TRD Pro shift knob	-	-	-	-
TRD Pro floor mats[26]	-	-	-	-
Exterior				
Lights				
LED headlights	S	S	S	S
LED Daytime Running Lights (DRL)	S	S	S	S
Sequential LED turn signals	P	S	P	P
Integrated bed scene lighting	-	-	-	-
LED bed lighting	S	S	S	S
LED fog lights	S	S	S	S
Rigid Industries®[10] LED fog lights	-	-	-	-
Rigid Industries®[10] white-and-yellow-color switching LED fog lights	-	-	-	-
Mirrors				
Color-keyed, heated, power outside mirrors	S	S	S	S
Chrome-finish accented, heated, power outside mirrors	-	-	-	-
Outside mirrors with turn signal indicators	S	S	S	S
Moonroof				
Power tilt/slide moonroof and sliding sunshade	P	P	P	S
Power Outlets				
400W/120V AC power supply[11]	S	S	S	S
2400W/120V AC power supply[4]	-	-	-	-
Racks				
Four fixed cargo bed tie-down points	S	S	S	S
Deck rail system with four adjustable tie-down cleats and four fixed cargo bed tie-down points	P	P	P	P
Skid Plates				
Skid plate(s) on engine/front suspension	S	S	S	S
Underbody fuel tank protection	-	-	-	-
Composite front skid plate, with underbody transfer case and fuel tank protection	S	S	S	-
TRD Pro aluminum front skid plate, with underbody transfer case and fuel tank protection	-	-	-	-
Transfer case protector	S	S	S	-
Steel underbody protection, including front skid plate, transfer case protector, fuel tank protector, and rear differential protector	-	-	-	-

	TRD Off-Road (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	TRD Off-Road (i-FORCE 6-ft. bed Double Cab 8AT 4WD)	TRD Off-Road (i-FORCE 5-ft. bed Double Cab 6MT 4WD)	Limited (i- FORCE 5-ft. bed Double Cab 8AT 4WD)
Trim				
Dark gray grille with black surround; color-keyed rear bumper	-	-	-	-
Charcoal grille with chrome-finished surround and rear bumper	-	-	-	-
Charcoal grille with chrome-finished surround; color-keyed overfenders; chrome-finish rear bumper	-	-	-	-
Silver-colored grille with front camera and chrome-finished surround; color-keyed overfenders and rear bumper	-	-	-	-
Gray grille with smoked finish and chrome-finished surround; hood scoop and color-keyed overfenders and rear bumper	S	S	S	S
Gray grille with smoked finish and chrome-finish surround; black overfenders and chrome-finish rear bumper	-	-	-	-
Heritage-inspired "TOYOTA" front grille with integrated light bar	-	-	-	-
High-clearance front bumper	-	-	-	-
Color-keyed rear bumper	S	S	S	S
ARB steel rear bumper and red rear recovery hooks	-	-	-	-
Steel rock rails	-	-	-	-
Power running boards	-	-	-	S
Color-keyed door handles	S	S	S	S
Chrome-finish-accented door handles	-	-	-	-
Fiber-reinforced Sheet-Molded Composite (SMC) inner bed with steel outer panels, storage compartments and rail caps, with easy lower, lockable and removable tailgate	S	S	S	S
Hard tri-fold tonneau cover – lockable, weather resistant and folds to the cab for bed access	O	O	O	O
Bed storage box	P	P	P	S
TACOMA stamped easy lower and lift tailgate with damper	P	P	P	
"TACOMA" stamped power open and close tailgate with hands-free knee lift assist and jam protection	P	P	P	S
"TACOMA" stamped easy lower and lift tailgate	S	S	S	-
"TRD Pro" stamped power open and close tailgate with hands-free knee lift assist, integrated taillight bump switches, and jam protection	-	-	-	-
Integrated color-keyed tailgate spoiler	S	S	S	S
Chrome-finished tailgate "TACOMA" insert	-	-	-	-
Chrome-finished exhaust tip	-	-	-	S



	TRD Off-Road (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	TRD Off-Road (i-FORCE 6-ft. bed Double Cab 8AT 4WD)	TRD Off-Road (i-FORCE 5-ft. bed Double Cab 6MT 4WD)	Limited (i- FORCE 5-ft. bed Double Cab 8AT 4WD)
Front and rear mudguards	O	O	O	O
High-clearance trail exhaust tip	-	-	-	-
TRD black performance exhaust	-	-	-	-
ARB steel rear bumper with red-painted recovery hooks and high-lift jack points	-	-	-	-
ARB modular bed utility bar with removable MOLLE panels	-	-	-	-
Reinforced rocker protector	-	-	-	-
Low-profile, rear-facing, high-mount air intake	-	-	-	-
Wheels & Tires				
17-in. styled steel wheels with 245/70R17 tires	-	-	-	-
17-in. machined alloy wheels with 265/70R17 all-terrain tires	S	S	S	-
18-in. machined alloy wheels with 265/65R18 tires	-	-	-	-
17-in. dark gray alloy wheels with 265/70R17 all-terrain tires	S	S	S	S
18-in. chrome-finished alloy wheels with 265/65R18 tires	-	-	-	S
18-in. Trailhunter alloy wheels with 33-in. Goodyear®[12] Territory® R/T tires	-	-	-	-
18-in. TRD Pro alloy wheels with 33-in. Goodyear® Territory® R/T tires	-	-	-	-
Windows, Glass & Wipers				
Variable intermittent windshield wipers with mist cycle	S	S	S	S
Sliding rear glass with privacy glass	-	-	S	S
Power sliding rear window with privacy glass	P	P	P	S

Specs

	SR (i-FORCE 5-ft. bed Double Cab 8AT 2WD)	SR (i-FORCE 5-ft. bed, Double Cab 8AT 4WD)	SR (i-FORCE 5-ft. bed Double Cab 6MT 4WD)	SR (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD)	SR (i-FORCE 6-ft. bed Xtra Cab 8AT 4WD)	SR5 (i-FORCE 5-ft. bed Double Cab 8AT 2WD)
Body Construction						
Type	Body-on-frame	Body-on-frame	Body-on-frame	Body-on-frame	Body-on-frame	Body-on-frame
Brakes						
Front	Ventilated disc	Ventilated disc	Ventilated disc	Ventilated disc	Ventilated disc	Ventilated disc
Rear	Drum with tandem booster	Drum with tandem booster	Drum with tandem booster	Drum with tandem booster	Drum with tandem booster	Drum with tandem booster
Dimensions – Exterior						
Approach / departure / breakover angle (degrees)	29 / 23.5 / 24	29 / 23.5 / 21	29 / 23.5 / 21	29 / 23.5 / 21	29 / 23.5 / 21	29 / 23.5 / 21



	SR (i-FORCE 5-ft. bed Double Cab 8AT 2WD)	SR (i-FORCE 5-ft. bed, Double Cab 8AT 4WD)	SR (i-FORCE 5-ft. bed Double Cab 6MT 4WD)	SR (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD)	SR (i-FORCE 6-ft. bed Xtra Cab 8AT 4WD)	SR5 (i-FORCE 5-ft. bed Double Cab 8AT 2WD)
Ground clearance (in.)	9.4	9.4	9.4	9.4	9.4	9.4
Overall length (in.)	213.2	213.2	213.2	213.2	213.2	213.2
Overall width (in.)	-	-	-	-	-	-
Overall height (in.)	70.9	70.9	70.9	70.9	70.9	70.9
Bed length (in.)	-	-	-	-	-	-
Bed width – between wheel wells (in.)	-	-	-	-	-	-
Bed height (in.)	-	-	-	-	-	-
Track – front (in.)	-	-	-	-	-	-
Track – rear (in.)	-	-	-	-	-	-
Wheelbase (in.)	131.9	131.9	131.9	131.9	131.9	131.9

Dimensions – Interior

Head room – front/rear (in.)	-	-	-	-	-	-
Shoulder room – front/rear (in.)	-	-	-	-	-	-
Hip room – front/rear (in.)	-	-	-	-	-	-
Leg room – front/rear (in.)	-	-	-	-	-	-

Drive Systems & Differentials

Drivetrain layout	Rear-Wheel Drive (RWD) with Automatic Limited-Slip Differential (Auto LSD)[41]	Rear-Wheel Drive (RWD) with Automatic Limited-Slip Differential (Auto LSD)[41]	Rear-Wheel Drive (RWD) with Automatic Limited-Slip Differential (Auto LSD)[41]	4WD Demand part-time 4-Wheel Drive with electronically controlled 2-speed transfer case (high/low range) and Automatic Limited-Slip Differential (Auto LSD)[41]	4WD Demand part-time 4-Wheel Drive with electronically controlled 2-speed transfer case (high/low range) and Automatic Limited-Slip Differential (Auto LSD)[41]	4WD Demand part-time 4-Wheel Drive with electronically controlled 2-speed transfer case (high/low range) and Automatic Limited-Slip Differential (Auto LSD)[41]
Differential ring gear size – front (in.)	-	-	-	8.0	-	8.0
Differential ring gear size – rear (in.)	8.9	8.9	8.9	8.9	8.9	8.9
Differential ratio	3.583	3.583	4.3	3.583	3.583	3.583
4x4 transfer case ratio – high/low	-	1.00:1/2.57:1	1.00:1/2.57:1	-	1.00:1/2.57:1	-

Engines

Type	2.4-liter turbocharged DOHC 16-valve 4-cylinder with VVT-i	2.4-liter turbocharged DOHC 16-valve 4-cylinder with VVT-i	2.4-liter turbocharged DOHC 16-valve 4-cylinder with VVT-i	2.4-liter turbocharged DOHC 16-valve 4-cylinder with VVT-i	2.4-liter turbocharged DOHC 16-valve 4-cylinder with VVT-i	2.4-liter turbocharged DOHC 16-valve 4-cylinder with VVT-i
Horsepower	159 hp 5200 rpm	278 hp 6000 rpm	159 hp 5200 rpm	159 hp 5200 rpm	278 hp 6000 rpm	278 hp 6000 rpm
Torque (lb.-ft.)	180 lb.-ft. 3800 rpm	265 lb.-ft. 4600 rpm	180 lb.-ft. 3800 rpm	180 lb.-ft. 3800 rpm	265 lb.-ft. 4600 rpm	265 lb.-ft. 4600 rpm
Injection system	D-4S	D-4S	D-4S	D-4S	D-4S	D-4S
Ignition system	Direct	Direct	Direct	Direct	Direct	Direct
Oil classification	ILSAC GF-5	ILSAC GF-5	ILSAC GF-5	ILSAC GF-5	ILSAC GF-5	ILSAC GF-5
Oil type / weight	Synthetic 0W-20	Synthetic 0W-20	Synthetic 0W-20	Synthetic 0W-20	Synthetic 0W-20	Synthetic 0W-20
TRD performance cold air intake	-	-	-	-	-	-

Fuel Facts

Manufacturer-estimated MPG (city/hwy/combined)	TBD	TBD	TBD	TBD	TBD	TBD
Fuel tank capacity (gal.)	21.1	21.1	21.1	21.1	21.1	21.1
Octane number	87 or higher	87 or higher	87 or higher	87 or higher	87 or higher	87 or higher
Federal emissions rating	Tier 3, SFTP	Tier 2-Bin 5, SFTP	Tier 3, SFTP	Tier 3, SFTP	Tier 2-Bin 5, SFTP	Tier 2-Bin 5, SFTP
California emissions rating	Low Emission Vehicle III (LEV-III)	Low Emission Vehicle III (LEV-III)	Low Emission Vehicle III (LEV-III)	Low Emission Vehicle III (LEV-III)	Low Emission Vehicle III (LEV-III)	Low Emission Vehicle III (LEV-III)

Safety

Total number of airbags[28]	8	8	8	8	8	8
Advanced Airbag System [28]	Driver and front passenger	Driver and front passenger	Driver and front passenger	Driver and front passenger	Driver and front passenger	Driver and front passenger
Seat-mounted side airbags [28]	Driver and front passenger	Driver and front passenger	Driver and front passenger	Driver and front passenger	Driver and front passenger	Driver and front passenger
Knee airbags[28]	Driver and front passenger	Driver and front passenger	Driver and front passenger	Driver and front passenger	Driver and front passenger	Driver and front passenger
Side curtain airbags[28]	All-row Roll-sensing Side Curtain Airbags (RSCA)	All-row Roll-sensing Side Curtain Airbags (RSCA)	All-row Roll-sensing Side Curtain Airbags (RSCA)	All-row Roll-sensing Side Curtain Airbags (RSCA)	All-row Roll-sensing Side Curtain Airbags (RSCA)	All-row Roll-sensing Side Curtain Airbags (RSCA)
Driver seatbelt	3-point with Emergency Locking Retractor (ELR)	3-point with Emergency Locking Retractor (ELR)	3-point with Emergency Locking Retractor (ELR)	3-point with Emergency Locking Retractor (ELR)	3-point with Emergency Locking Retractor (ELR)	3-point with Emergency Locking Retractor (ELR)
Front passenger seatbelt	3-point with Automatic/Emergency Locking Retractor (ALR/ELR)	3-point with Automatic/Emergency Locking Retractor (ALR/ELR)	3-point with Automatic/Emergency Locking Retractor (ALR/ELR)	3-point with Automatic/Emergency Locking Retractor (ALR/ELR)	3-point with Automatic/Emergency Locking Retractor (ALR/ELR)	3-point with Automatic/Emergency Locking Retractor (ALR/ELR)



	SR (i-FORCE 5-ft. bed Double Cab 8AT 2WD)	SR (i-FORCE 5-ft. bed, Double Cab 8AT 4WD)	SR (i-FORCE 5-ft. bed Double Cab 6MT 4WD)	SR (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD)	SR (i-FORCE 6-ft. bed Xtra Cab 8AT 4WD)	SR5 (i-FORCE 5-ft. bed Double Cab 8AT 2WD)
Rear passenger seatbelts	3-point seatbelts for all seating positions; Automatic/Emergency Locking Retractor (ALR/ELR) on all passenger seatbelts	3-point seatbelts for all seating positions; Automatic/Emergency Locking Retractor (ALR/ELR) on all passenger seatbelts	3-point seatbelts for all seating positions; Automatic/Emergency Locking Retractor (ALR/ELR) on all passenger seatbelts	3-point seatbelts for all seating positions; Automatic/Emergency Locking Retractor (ALR/ELR) on all passenger seatbelts	3-point seatbelts for all seating positions; Automatic/Emergency Locking Retractor (ALR/ELR) on all passenger seatbelts	3-point seatbelts for all seating positions; Automatic/Emergency Locking Retractor (ALR/ELR) on all passenger seatbelts
LATCH locations	Lower anchors for front passenger seat	Lower anchors for front passenger seat	Lower anchors for front passenger seat and outboard rear seats	Lower anchors for front passenger seat	Lower anchors for front passenger seat	Lower anchors for front passenger seat and outboard rear seats
Steering						
Electric Power Steering (EPS) and power-assisted rack-and-pinion with an Electronic Parking Brake (EPB)[42]	S	S	S	S	S	S
Turning circle diameter – curb-to-curb (ft.)	40.6	40.6	40.6	40.6	40.6	40.6
Suspension						
Front	Independent double-wishbone front suspension	Independent double-wishbone front suspension	Independent double-wishbone front suspension	Independent double-wishbone front suspension	Independent double-wishbone front suspension	Independent double-wishbone front suspension
Rear	Leaf spring rear suspension	Leaf spring rear suspension	Leaf spring rear suspension	Leaf spring rear suspension	Leaf spring rear suspension	Coil spring multi-link rear suspension
Stabilizer Disconnect Mechanism (SDM)	–	–	–	–	–	–
Front stabilizer	S	S	S	S	S	–
Front and rear stabilizer	–	–	–	–	–	S
Towing						
Maximum towing capacity (lb.)*[18]	3,500	6,800	3,500	3,500	6,500	6,400
Tongue load (lb.)	350 / –	350 / 680	350 / –	350 / –	350 / 650	350 / 640
Class-IV towing hitch receiver and wiring harness with 7-pin/4-pin connector	S	S	S	P	P	S
Class-IV towing hitch receiver and wiring harness with 7-pin/4-pin connector; Trailer Backup Guide (TBG) [19]; Trailer Blind Spot Monitor; Trailer Camera[5]	–	–	–	–	–	–
Passenger-side front and rear towing hooks	S	S	S	S	S	S
Driver's-side and passenger-side front and rear towing hooks	–	–	–	–	–	–
Transmissions						
Type	8-speed Electronically Controlled automatic Transmission with intelligence (ECT-i), sequential shift mode, and uphill/downhill shift logic	8-speed Electronically Controlled automatic Transmission with intelligence (ECT-i), sequential shift mode, and uphill/downhill shift logic	6-speed intelligent Manual Transmission (iMT2) with automatic rev matching and anti-stall technology	8-speed Electronically Controlled automatic Transmission with intelligence (ECT-i), sequential shift mode, and uphill/downhill shift logic	8-speed Electronically Controlled automatic Transmission with intelligence (ECT-i), sequential shift mode, and uphill/downhill shift logic	8-speed Electronically Controlled automatic Transmission with intelligence (ECT-i), sequential shift mode, and uphill/downhill shift logic
Warranties & Maintenance						
Basic Warranty	3 years / 36,000 miles	3 years / 36,000 miles	3 years / 36,000 miles	3 years / 36,000 miles	3 years / 36,000 miles	3 years / 36,000 miles
Powertrain Warranty	5 years / 60,000 miles	5 years / 60,000 miles	5 years / 60,000 miles	5 years / 60,000 miles	5 years / 60,000 miles	5 years / 60,000 miles
Corrosion Perforation Warranty	5 years / Unlimited miles	5 years / Unlimited miles	5 years / Unlimited miles	5 years / Unlimited miles	5 years / Unlimited miles	5 years / Unlimited miles
Emissions Warranty	Refer to Vehicle Warranty & Maintenance Guide	Refer to Vehicle Warranty & Maintenance Guide	Refer to Vehicle Warranty & Maintenance Guide	Refer to Vehicle Warranty & Maintenance Guide	Refer to Vehicle Warranty & Maintenance Guide	Refer to Vehicle Warranty & Maintenance Guide
Accessories Warranty	3 years / 36,000 miles	3 years / 36,000 miles	3 years / 36,000 miles	3 years / 36,000 miles	3 years / 36,000 miles	3 years / 36,000 miles
Hybrid System Warranty	–	–	–	–	–	–
Hybrid Battery Warranty	–	–	–	–	–	–
Restraint Systems Warranty	5 years / 60,000 miles	5 years / 60,000 miles	5 years / 60,000 miles	5 years / 60,000 miles	5 years / 60,000 miles	5 years / 60,000 miles
ToyotaCare Maintenance Plan[20]	2 years / 25,000 miles, whichever comes first	2 years / 25,000 miles, whichever comes first	2 years / 25,000 miles, whichever comes first	2 years / 25,000 miles, whichever comes first	2 years / 25,000 miles, whichever comes first	2 years / 25,000 miles, whichever comes first
ToyotaCare Roadside Assistance Coverage[20]	2 years / Unlimited miles	2 years / Unlimited miles	2 years / Unlimited miles	2 years / Unlimited miles	2 years / Unlimited miles	2 years / Unlimited miles
Weights & Capacities						
Seating capacity	5	5	5	2	2	5
Manufacturer-estimated passenger volume (cu. ft.) – front/rear	57.5/28.1	57.5/28.1	57.5/42.6	57.5/28.1	57.5/28.1	57.5/42.6
Curb weight (lb.)	3,915	4,075	4,040	4,155	4,315	4,445



	SR (i-FORCE 5-ft. bed Double Cab 8AT 2WD)	SR (i-FORCE 5-ft. bed, Double Cab 8AT 4WD)	SR (i-FORCE 5-ft. bed Double Cab 6MT 4WD)	SR (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD)	SR (i-FORCE 6-ft. bed Xtra Cab 8AT 4WD)	SR5 (i-FORCE 5-ft. bed Double Cab 8AT 2WD)
GVWR (lb.)	5,600	5,600	5,600	5,600	5,600	5,600
Gross Combined Weight Rating (GCWR) (lb.)	11,360	11,360	11,360	11,360	11,360	11,360
Maximum payload (lb.) ^[21]	1,685	1,525	1,560	1,445	1,285	1,155
Fuel tank capacity (gal.)	21.1	21.1	21.1	21.1	21.1	21.1
Wheels & Tires						
Wheel type	Alloy	Styled steel	Styled steel	Styled steel	Styled steel	Styled steel
Wheel size (in.)	17	17	17	17	17	17
Tire type	P245/70R17 all-season	P245/70R17 all-season	P245/70R17 all-season	P245/70R17 all-season	P245/70R17 all-season	P245/70R17 all-season
Spare	Full-size, mounted under body	Full-size, mounted under body	Full-size, mounted under body	Full-size, mounted under body	Full-size, mounted under body	Full-size, mounted under body

Additional Specs...

	SR5 (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	SR5 (i-FORCE 6-ft. bed Double Cab 8AT 2WD)	SR5 (i-FORCE 6-ft. bed Double Cab 8AT 4WD)	SR5 (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD)	SR5 (i-FORCE 6-ft. bed Xtra Cab 8AT 4WD)	TRD Pre-Runner (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD)
Body Construction						
Type	Body-on-frame	Body-on-frame	Body-on-frame	Body-on-frame	Body-on-frame	Body-on-frame
Brakes						
Front	Ventilated disc	Ventilated disc	Ventilated disc	Ventilated disc	Ventilated disc	Ventilated disc
Rear	Drum with tandem booster	Drum with tandem booster	Drum with tandem booster	Drum with tandem booster	Drum with tandem booster	Drum with tandem booster
Dimensions – Exterior						
Approach / departure / breakover angle (degrees)	29 / 23.5 / 24	29 / 23.5 / 24	29 / 23.5 / 21	29 / 23.5 / 21	29 / 23.1 / 20	29 / 23.5 / 21
Ground clearance (in.)	9.4	9.4	9.4	9.4	9.4	9.4
Overall length (in.)	213.2	226.4	226.4	213.2	213.2	213.2
Overall width (in.)	-	-	-	-	-	-
Overall height (in.)	70.9	70.9	70.9	70.9	70.9	-
Bed length (in.)	-	-	-	-	-	-
Bed width – between wheel wells (in.)	-	-	-	-	-	-
Bed height (in.)	-	-	-	-	-	-
Track – front (in.)	-	-	-	-	-	-
Track – rear (in.)	-	-	-	-	-	-
Wheelbase (in.)	131.9	145.1	145.1	131.9	131.9	131.9
Dimensions – Interior						
Head room – front/rear (in.)	-	-	-	-	-	-
Shoulder room – front/rear (in.)	-	-	-	-	-	-
Hip room – front/rear (in.)	-	-	-	-	-	-
Leg room – front/rear (in.)	-	-	-	-	-	-
Drive Systems & Differentials						
Drivetrain layout	Rear-Wheel Drive (RWD) with Automatic Limited-Slip Differential (Auto LSD) ^[41]	Rear-Wheel Drive (RWD) with Automatic Limited-Slip Differential (Auto LSD) ^[41]	Rear-Wheel Drive (RWD) with Automatic Limited-Slip Differential (Auto LSD) ^[41]	Rear-Wheel Drive (RWD) with Automatic Limited-Slip Differential (Auto LSD) ^[41]	Rear-Wheel Drive (RWD) with Automatic Limited-Slip Differential (Auto LSD) ^[41]	4WDemand part-time 4-Wheel Drive with electronically controlled 2-speed transfer case (high/low range) and Automatic Limited-Slip Differential (Auto LSD) ^[41]
Differential ring gear size – front (in.)	-	-	-	-	-	8.0
Differential ring gear size – rear (in.)	8.9	8.9	8.9	8.9	8.9	8.9
Differential ratio	3.583	3.583	3.583	3.583	3.583	3.583
4x4 transfer case ratio – high/low	1.00:1/2.57:1	-	1.00:1/2.57:1	-	1.00:1/2.57:1	-
Engines						
Type	2.4-liter turbocharged DOHC 16-valve 4-cylinder	2.4-liter turbocharged DOHC 16-valve 4-cylinder	2.4-liter turbocharged DOHC 16-valve 4-cylinder	2.4-liter turbocharged DOHC 16-valve 4-cylinder	2.4-liter turbocharged DOHC 16-valve 4-cylinder	2.4-liter turbocharged DOHC 16-valve 4-cylinder



	SR5 (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	SR5 (i-FORCE 6-ft. bed Double Cab 8AT 2WD)	SR5 (i-FORCE 6-ft. bed Double Cab 8AT 4WD)	SR5 (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD)	SR5 (i-FORCE 6-ft. bed Xtra Cab 8AT 4WD)	TRD Pre-Runner (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD)
	with VVT-i	with VVT-i	with VVT-i	with VVT-i	with VVT-i	with VVT-i
Horsepower	159 hp 5200 rpm	278 hp 6000 rpm	159 hp 5200 rpm	278 hp 6000 rpm	278 hp 6000 rpm	159 hp 5200 rpm
Torque (lb.-ft.)	180 lb.-ft. 3800 rpm	265 lb.-ft. 4600 rpm	180 lb.-ft. 3800 rpm	265 lb.-ft. 4600 rpm	265 lb.-ft. 4600 rpm	180 lb.-ft. 3800 rpm
Injection system	D-4S	D-4S	D-4S	D-4S	D-4S	D-4S
Ignition system	Direct	Direct	Direct	Direct	Direct	Direct
Oil classification	ILSAC GF-5	ILSAC GF-5	ILSAC GF-5	ILSAC GF-5	ILSAC GF-5	ILSAC GF-5
Oil type / weight	Synthetic 0W-20	Synthetic 0W-20	Synthetic 0W-20	Synthetic 0W-20	Synthetic 0W-20	Synthetic 0W-20
TRD performance cold air intake	-	-	-	-	-	-
Fuel Facts						
Manufacturer-estimated MPG (city/hwy/combined)	TBD	TBD	TBD	TBD	TBD	TBD
Fuel tank capacity (gal.)	21.1	21.1	21.1	21.1	21.1	21.1
Octane number	87 or higher	87 or higher	87 or higher	87 or higher	87 or higher	87 or higher
Federal emissions rating	Tier 3, SFTP	Tier 2-Bin 5, SFTP	Tier 3, SFTP	Tier 2-Bin 5, SFTP	Tier 2-Bin 5, SFTP	Tier 3, SFTP
California emissions rating	Low Emission Vehicle III (LEV-III)	Low Emission Vehicle III (LEV-III)	Low Emission Vehicle III (LEV-III)	Low Emission Vehicle III (LEV-III)	Low Emission Vehicle III (LEV-III)	Low Emission Vehicle III (LEV-III)
Safety						
Total number of airbags[28]	8	8	8	8	8	8
Advanced Airbag System [28]	Driver and front passenger	Driver and front passenger	Driver and front passenger	Driver and front passenger	Driver and front passenger	Driver and front passenger
Seat-mounted side airbags [28]	Driver and front passenger	Driver and front passenger	Driver and front passenger	Driver and front passenger	Driver and front passenger	Driver and front passenger
Knee airbags[28]	Driver and front passenger	Driver and front passenger	Driver and front passenger	Driver and front passenger	Driver and front passenger	Driver and front passenger
Side curtain airbags[28]	All-row Roll-sensing Side Curtain Airbags (RSCA)	All-row Roll-sensing Side Curtain Airbags (RSCA)	All-row Roll-sensing Side Curtain Airbags (RSCA)	All-row Roll-sensing Side Curtain Airbags (RSCA)	All-row Roll-sensing Side Curtain Airbags (RSCA)	All-row Roll-sensing Side Curtain Airbags (RSCA)
Driver seatbelt	3-point with Emergency Locking Retractor (ELR)	3-point with Emergency Locking Retractor (ELR)	3-point with Emergency Locking Retractor (ELR)	3-point with Emergency Locking Retractor (ELR)	3-point with Emergency Locking Retractor (ELR)	3-point with Emergency Locking Retractor (ELR)
Front passenger seatbelt	3-point with Automatic/Emergency Locking Retractor (ALR/ELR)	3-point with Automatic/Emergency Locking Retractor (ALR/ELR)	3-point with Automatic/Emergency Locking Retractor (ALR/ELR)	3-point with Automatic/Emergency Locking Retractor (ALR/ELR)	3-point with Automatic/Emergency Locking Retractor (ALR/ELR)	3-point with Automatic/Emergency Locking Retractor (ALR/ELR)
Rear passenger seatbelts	3-point seatbelts for all seating positions; Automatic/Emergency Locking Retractor (ALR/ELR) on all passenger seatbelts	3-point seatbelts for all seating positions; Automatic/Emergency Locking Retractor (ALR/ELR) on all passenger seatbelts	3-point seatbelts for all seating positions; Automatic/Emergency Locking Retractor (ALR/ELR) on all passenger seatbelts	3-point seatbelts for all seating positions; Automatic/Emergency Locking Retractor (ALR/ELR) on all passenger seatbelts	3-point seatbelts for all seating positions; Automatic/Emergency Locking Retractor (ALR/ELR) on all passenger seatbelts	3-point seatbelts for all seating positions; Automatic/Emergency Locking Retractor (ALR/ELR) on all passenger seatbelts
LATCH locations	Lower anchors for front passenger seat	Lower anchors for front passenger seat	Lower anchors for front passenger seat and outboard rear seats	Lower anchors for front passenger seat and outboard rear seats	Lower anchors for front passenger seat and outboard rear seats	Lower anchors for front passenger seat
Steering						
Electric Power Steering (EPS) and power-assisted rack-and-pinion with an Electronic Parking Brake (EPB)[42]	S	S	S	S	S	S
Turning circle diameter - curb-to-curb (ft.)	40.6	40.6	40.6	40.6	44.1	40.6
Suspension						
Front	Independent double-wishbone front suspension	Independent double-wishbone front suspension	Independent double-wishbone front suspension	Independent double-wishbone front suspension	Independent double-wishbone front suspension	Independent double-wishbone front suspension
Rear	Coil spring multi-link rear suspension	Coil spring multi-link rear suspension	Coil spring multi-link rear suspension	Leaf spring rear suspension	Leaf spring rear suspension	Leaf spring rear suspension
Stabilizer Disconnect Mechanism (SDM)	-	-	-	-	-	-
Front stabilizer	-	-	-	-	-	-
Front and rear stabilizer	S	S	S	-	-	-
Towing						
Maximum towing capacity (lb.)*[18]	3,500	6,800	3,500	6,700	6,600	3,500
Tongue load (lb.)	350 / -	350 / 680	350 / -	350 / 670	350 / 660	350 / -
Class-IV towing hitch receiver and wiring harness with 7-pin/4-pin connector	S	S	S	S	S	S
Class-IV towing hitch receiver and wiring harness with 7-pin/4-pin connector; Trailer Backup Guide (TBG) [19]; Trailer Blind Spot Monitor; Trailer Camera[5]	-	-	-	-	-	-



	SR5 (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	SR5 (i-FORCE 6-ft. bed Double Cab 8AT 2WD)	SR5 (i-FORCE 6-ft. bed Double Cab 8AT 4WD)	SR5 (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD)	SR5 (i-FORCE 6-ft. bed Xtra Cab 8AT 4WD)	TRD Pre-Runner (i-FORCE 6-ft. bed Xtra Cab 8AT 2WD)
Passenger-side front and rear towing hooks	S	S	S	S	S	S
Driver's-side and passenger-side front and rear towing hooks	-	-	-	-	-	P
Transmissions						
Type	8-speed Electronically Controlled automatic Transmission with intelligence (ECT-i), sequential shift mode, and uphill/downhill shift logic	8-speed Electronically Controlled automatic Transmission with intelligence (ECT-i), sequential shift mode, and uphill/downhill shift logic	8-speed Electronically Controlled automatic Transmission with intelligence (ECT-i), sequential shift mode, and uphill/downhill shift logic	8-speed Electronically Controlled automatic Transmission with intelligence (ECT-i), sequential shift mode, and uphill/downhill shift logic	8-speed Electronically Controlled automatic Transmission with intelligence (ECT-i), sequential shift mode, and uphill/downhill shift logic	8-speed Electronically Controlled automatic Transmission with intelligence (ECT-i), sequential shift mode, and uphill/downhill shift logic
Warranties & Maintenance						
Basic Warranty	3 years / 36,000 miles	3 years / 36,000 miles	3 years / 36,000 miles	3 years / 36,000 miles	3 years / 36,000 miles	3 years / 36,000 miles
Powertrain Warranty	5 years / 60,000 miles	5 years / 60,000 miles	5 years / 60,000 miles	5 years / 60,000 miles	5 years / 60,000 miles	5 years / 60,000 miles
Corrosion Perforation Warranty	5 years / Unlimited miles	5 years / Unlimited miles	5 years / Unlimited miles	5 years / Unlimited miles	5 years / Unlimited miles	5 years / Unlimited miles
Emissions Warranty	Refer to Vehicle Warranty & Maintenance Guide	Refer to Vehicle Warranty & Maintenance Guide	Refer to Vehicle Warranty & Maintenance Guide	Refer to Vehicle Warranty & Maintenance Guide	Refer to Vehicle Warranty & Maintenance Guide	Refer to Vehicle Warranty & Maintenance Guide
Accessories Warranty	3 years / 36,000 miles	3 years / 36,000 miles	3 years / 36,000 miles	3 years / 36,000 miles	3 years / 36,000 miles	3 years / 36,000 miles
Hybrid System Warranty	-	-	-	-	-	-
Hybrid Battery Warranty	-	-	-	-	-	-
Restraint Systems Warranty	5 years / 60,000 miles	5 years / 60,000 miles	5 years / 60,000 miles	5 years / 60,000 miles	5 years / 60,000 miles	5 years / 60,000 miles
ToyotaCare Maintenance Plan[20]	2 years / 25,000 miles, whichever comes first	2 years / 25,000 miles, whichever comes first	2 years / 25,000 miles, whichever comes first	2 years / 25,000 miles, whichever comes first	2 years / 25,000 miles, whichever comes first	2 years / 25,000 miles, whichever comes first
ToyotaCare Roadside Assistance Coverage[20]	2 years / Unlimited miles	2 years / Unlimited miles	2 years / Unlimited miles	2 years / Unlimited miles	2 years / Unlimited miles	2 years / Unlimited miles
Weights & Capacities						
Seating capacity	5	5	5	2	2	2
Manufacturer-estimated passenger volume (cu. ft.) - front/rear	57.5/28.1	57.5/28.1	57.5/42.6	57.5/42.6	57.5/42.6	57.5/28.1
Curb weight (lb.)	3,915	4,075	4,040	4,205	4,245	4,155
GVWR (lb.)	5,600	5,600	5,600	5,600	5,600	5,600
Gross Combined Weight Rating (GCWR) (lb.)	11,360	11,360	11,360	11,360	11,360	11,360
Maximum payload (lb.)[21]	1,685	1,525	1,560	1,395	1,355	1,445
Fuel tank capacity (gal.)	21.1	21.1	21.1	21.1	21.1	21.1
Wheels & Tires						
Wheel type	Styled steel; available Dark-gray alloy	Dark-gray alloy; available Black alloy	Styled steel; available Dark-gray alloy	Dark-gray alloy; available Black alloy; available chrome (18-in.)	Dark-gray alloy; available Black alloy; available chrome (18-in.)	Dark-gray alloy
Wheel size (in.)	17	17	17	17	17	17
Tire type	P245/70R17 all-season	P245/70R17 all-season	P245/70R17 all-season	P245/70R17 all-season	P245/70R17 all-season	P265/70R17 all-season
Spare	Full-size, mounted under body	Full-size, mounted under body	Full-size, mounted under body	Full-size, mounted under body	Full-size, mounted under body	Full-size, mounted under body

Additional Specs...

	TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 2WD)	TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	TRD Sport (i-FORCE 5-ft. bed Double Cab 6MT 4WD)	TRD Sport (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)	TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 2WD)	TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 4WD)
Body Construction						
Type	Body-on-frame	Body-on-frame	Body-on-frame		Body-on-frame	Body-on-frame
Brakes						
Front	Ventilated disc	Ventilated disc	Ventilated disc		Ventilated disc	Ventilated disc
Rear	Drum with tandem booster	Drum with tandem booster	Drum with tandem booster		Drum with tandem booster	Drum with tandem booster
Dimensions - Exterior						



	TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 2WD)	TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	TRD Sport (i-FORCE 5-ft. bed Double Cab 6MT 4WD)	TRD Sport (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)	TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 2WD)	TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 4WD)
Approach / departure / breakover angle (degrees)	29 / 23.5 / 21	29 / 23.5 / 21; Trail Special Edition: 34.0 / 23.6 / 26.4	29 / 23.1 / 21		34 / 23.6 / 26.4	29 / 23.5 / 24
Ground clearance (in.)	9.4	9.4	9.4		-	9.4
Overall length (in.)	213.2	213.2	213.2		226.4	226.4
Overall width (in.)	-	-	-		-	-
Overall height (in.)	70.9	70.9	70.9		70.9	70.9
Bed length (in.)	-	-	-		-	-
Bed width - between wheel wells (in.)	-	-	-		-	-
Bed height (in.)	-	-	-		-	-
Track - front (in.)	-	-	-		-	-
Track - rear (in.)	-	-	-		-	-
Wheelbase (in.)	131.9	131.9	131.9		145.1	145.1
Dimensions - Interior						
Head room - front/rear (in.)	-	-	-		-	-
Shoulder room - front/rear (in.)	-	-	-		-	-
Hip room - front/rear (in.)	-	-	-		-	-
Leg room - front/rear (in.)	-	-	-		-	-
Drive Systems & Differentials						
Drivetrain layout	4WDemand part-time 4-Wheel Drive with electronically controlled 2-speed transfer case (high/low range) and Automatic Limited-Slip Differential (Auto LSD)[41]	4WDemand part-time 4-Wheel Drive with electronically controlled 2-speed transfer case (high/low range) and Automatic Limited-Slip Differential (Auto LSD)[41]	4WDemand part-time 4-Wheel Drive with electronically controlled 2-speed transfer case (high/low range) and Automatic Limited-Slip Differential (Auto LSD)[41]		Rear-Wheel Drive (RWD) with Automatic Limited-Slip Differential (Auto LSD) [41]	Rear-Wheel Drive (RWD) with Automatic Limited-Slip Differential (Auto LSD) [41]
Differential ring gear size - front (in.)	8.0	8.0	8.0		-	-
Differential ring gear size - rear (in.)	8.9	8.9	8.9		-	8.9
Differential ratio	3.583	3.583	4.3		3.583	3.583
4x4 transfer case ratio - high/low	-	1.00:1/2.57:1	1.00:1/2.57:1		-	1.00:1/2.57:1
Engines						
Type	2.4-liter turbocharged DOHC 16-valve 4-cylinder with VVT-i	2.4-liter turbocharged DOHC 16-valve 4-cylinder with VVT-i	2.4-liter turbocharged DOHC 16-valve 4-cylinder with VVT-i		2.4-liter turbocharged DOHC 16-valve 4-cylinder with VVT-i	2.4-liter turbocharged DOHC 16-valve 4-cylinder with VVT-i
Horsepower	278 hp 6000 rpm	278 hp 6000 rpm	278 hp 6000 rpm		278 hp 6000 rpm	278 hp 6000 rpm
Torque (lb.-ft.)	265 lb.-ft. 4600 rpm	265 lb.-ft. 4600 rpm	265 lb.-ft. 4600 rpm		265 lb.-ft. 4600 rpm	265 lb.-ft. 4600 rpm
Injection system	D-4S	D-4S	D-4S		-	D-4S
Ignition system	Direct	Direct	Direct		-	Direct
Oil classification	ILSAC GF-5	ILSAC GF-5	ILSAC GF-5		-	ILSAC GF-5
Oil type / weight	Synthetic 0W-20	Synthetic 0W-20	Synthetic 0W-20		-	Synthetic 0W-20
TRD performance cold air intake	-	-	-		-	-
Fuel Facts						
Manufacturer-estimated MPG (city/hwy/combined)	TBD	TBD	TBD		TBD	TBD
Fuel tank capacity (gal.)	21.1	21.1	21.1		21.1	21.1
Octane number	87 or higher	87 or higher	87 or higher		-	87 or higher
Federal emissions rating	Tier 2-Bin 5, SFTP	Tier 2-Bin 5, SFTP	Tier 2-Bin 5, SFTP		-	Tier 2-Bin 5, SFTP
California emissions rating	Low Emission Vehicle III (LEV-III)	Low Emission Vehicle III (LEV-III)	Low Emission Vehicle III (LEV-III)		Low Emission Vehicle III (LEV-III)	Low Emission Vehicle III (LEV-III)
Safety						
Total number of airbags[28]	8	8	8		8	8
Advanced Airbag System[28]	Driver and front passenger	Driver and front passenger	Driver and front passenger		Driver and front passenger	Driver and front passenger
Seat-mounted side airbags [28]	Driver and front passenger	Driver and front passenger	Driver and front passenger		Driver and front passenger	Driver and front passenger
Knee airbags[28]	Driver and front passenger	Driver and front passenger	Driver and front passenger		Driver and front passenger	Driver and front passenger
Side curtain airbags[28]	All-row Roll-sensing Side Curtain Airbags (RSCA)	All-row Roll-sensing Side Curtain Airbags (RSCA)	All-row Roll-sensing Side Curtain Airbags (RSCA)		All-row Roll-sensing Side Curtain Airbags (RSCA)	All-row Roll-sensing Side Curtain Airbags (RSCA)
Driver seatbelt	3-point with Emergency Locking Retractor (ELR)	3-point with Emergency Locking Retractor (ELR)	3-point with Emergency Locking Retractor (ELR)		3-point with Emergency Locking Retractor (ELR)	3-point with Emergency Locking Retractor (ELR)



	TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 2WD)	TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	TRD Sport (i-FORCE 5-ft. bed Double Cab 6MT 4WD)	TRD Sport (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)	TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 2WD)	TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 4WD)
Front passenger seatbelt	3-point with Automatic/Emergency Locking Retractor (ALR/ELR)	3-point with Automatic/Emergency Locking Retractor (ALR/ELR)	3-point with Automatic/Emergency Locking Retractor (ALR/ELR)		3-point with Automatic/Emergency Locking Retractor (ALR/ELR)	3-point with Automatic/Emergency Locking Retractor (ALR/ELR)
Rear passenger seatbelts	3-point seatbelts for all seating positions; Automatic/Emergency Locking Retractor (ALR/ELR) on all passenger seatbelts	3-point seatbelts for all seating positions; Automatic/Emergency Locking Retractor (ALR/ELR) on all passenger seatbelts	3-point seatbelts for all seating positions; Automatic/Emergency Locking Retractor (ALR/ELR) on all passenger seatbelts		3-point seatbelts for all seating positions; Automatic/Emergency Locking Retractor (ALR/ELR) on all passenger seatbelts	3-point seatbelts for all seating positions; Automatic/Emergency Locking Retractor (ALR/ELR) on all passenger seatbelts
LATCH locations	Lower anchors for front passenger seat	Lower anchors for front passenger seat and outboard rear seats	Lower anchors for front passenger seat and outboard rear seats		Lower anchors for front passenger seat and outboard rear seats	Lower anchors for front passenger seat
Steering						
Electric Power Steering (EPS) and power-assisted rack-and-pinion with an Electronic Parking Brake (EPB)[42]	S	S	S		S	S
Turning circle diameter – curb-to-curb (ft.)	40.6	40.6	44.1		40.6	40.6
Suspension						
Front	Independent double-wishbone front suspension	Independent double-wishbone front suspension	Independent double-wishbone front suspension		Independent double-wishbone front suspension	Independent double-wishbone front suspension
Rear	Coil spring multi-link rear suspension	Coil spring multi-link rear suspension	Coil spring multi-link rear suspension		Coil spring multi-link rear suspension	Coil spring multi-link rear suspension
Stabilizer Disconnect Mechanism (SDM)	-	-	-		-	-
Front stabilizer	-	-	-		-	-
Front and rear stabilizer	S	S	S		S	S
Towing						
Maximum towing capacity (lb.)[18]	6,500	6,400	6,400		6,400	6,800
Tongue load (lb.)	350 / 650	350 / 640	350 / 640		640	350 / 680
Class-IV towing hitch receiver and wiring harness with 7-pin/4-pin connector	S	S	S		S	S
Class-IV towing hitch receiver and wiring harness with 7-pin/4-pin connector; Trailer Backup Guide (TBG) [19]; Trailer Blind Spot Monitor; Trailer Camera[5]	P	P	P		P	P
Passenger-side front and rear towing hooks	S	S	S		S	S
Driver's-side and passenger-side front and rear towing hooks	-	-	-		-	-
Transmissions						
Type	8-speed Electronically Controlled automatic Transmission with intelligence (ECT-i), sequential shift mode, and uphill/downhill shift logic	8-speed Electronically Controlled automatic Transmission with intelligence (ECT-i), sequential shift mode, and uphill/downhill shift logic	6-speed intelligent Manual Transmission (iMT2) with automatic rev matching and anti-stall technology		8-speed Electronically Controlled automatic Transmission with intelligence (ECT-i), sequential shift mode, and uphill/downhill shift logic	8-speed Electronically Controlled automatic Transmission with intelligence (ECT-i), sequential shift mode, and uphill/downhill shift logic
Warranties & Maintenance						
Basic Warranty	3 years / 36,000 miles	3 years / 36,000 miles	3 years / 36,000 miles		3 years / 36,000 miles	3 years / 36,000 miles
Powertrain Warranty	5 years / 60,000 miles	5 years / 60,000 miles	5 years / 60,000 miles		5 years / 60,000 miles	5 years / 60,000 miles
Corrosion Perforation Warranty	5 years / Unlimited miles	5 years / Unlimited miles	5 years / Unlimited miles		5 years / Unlimited miles	5 years / Unlimited miles
Emissions Warranty	Refer to Vehicle Warranty & Maintenance Guide	Refer to Vehicle Warranty & Maintenance Guide	Refer to Vehicle Warranty & Maintenance Guide		Refer to Vehicle Warranty & Maintenance Guide	Refer to Vehicle Warranty & Maintenance Guide
Accessories Warranty	3 years / 36,000 miles	3 years / 36,000 miles	3 years / 36,000 miles		3 years / 36,000 miles	3 years / 36,000 miles
Hybrid System Warranty	-	-	-		-	-
Hybrid Battery Warranty	-	-	-		-	-
Restraint Systems Warranty	5 years / 60,000 miles	5 years / 60,000 miles	5 years / 60,000 miles		5 years / 60,000 miles	5 years / 60,000 miles
ToyotaCare Maintenance Plan[20]	2 years / 25,000 miles, whichever comes first	2 years / 25,000 miles, whichever comes first	2 years / 25,000 miles, whichever comes first		2 years / 25,000 miles, whichever comes first	2 years / 25,000 miles, whichever comes first
ToyotaCare Roadside Assistance Coverage[20]	2 years / Unlimited miles	2 years / Unlimited miles	2 years / Unlimited miles		2 years / Unlimited miles	2 years / Unlimited miles
Weights & Capacities						



	TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 2WD)	TRD Sport (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	TRD Sport (i-FORCE 5-ft. bed Double Cab 6MT 4WD)	TRD Sport (i-FORCE MAX 5-ft. bed Double Cab 8AT 4WD)	TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 2WD)	TRD Sport (i-FORCE 6-ft. bed Double Cab 8AT 4WD)
Seating capacity	5	5	5		5	5
Manufacturer-estimated passenger volume (cu. ft.) – front/rear	57.5/28.1	57.5/42.6	57.5/42.6		57.5/42.6	57.5/28.1
Curb weight (lb.)	4,315	4,445	4,495		4445	4,075
GVWR (lb.)	5,600	5,600	5,600		–	5,600
Gross Combined Weight Rating (GCWR) (lb.)	11,360	11,360	11,360		11,360	11,360
Maximum payload (lb.)[21]	1,285	1,155	1,105		1155	1,525
Fuel tank capacity (gal.)	21.1	21.1	21.1		21.1	21.1
Wheels & Tires						
Wheel type	Machined alloy	Machined alloy	Machined alloy		Machined alloy	Machined alloy
Wheel size (in.)	18	18	18		18	18
Tire type	P265/65R18 all-season	P265/65R18 all-season	P265/65R18 all-season		P265/65R18 all-season	P265/65R18 all-season
Spare	Full-size, mounted under body	Full-size, mounted under body	Full-size, mounted under body		Full-size, mounted under body	Full-size, mounted under body

Additional Specs...

	TRD Off-Road (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	TRD Off-Road (i-FORCE 6-ft. bed Double Cab 8AT 4WD)	TRD Off-Road (i-FORCE 5-ft. bed Double Cab 6MT 4WD)	Limited (i-FORCE 5-ft. bed Double Cab 8AT 4WD)
Body Construction				
Type	Body-on-frame	Body-on-frame	Body-on-frame	Body-on-frame
Brakes				
Front	Ventilated disc	Ventilated disc	Ventilated disc	Ventilated disc
Rear	Drum with tandem booster	Drum with tandem booster	Drum with tandem booster	Drum with tandem booster
Dimensions – Exterior				
Approach / departure / breakover angle (degrees)	29 / 23.5 / 21	29 / 23.1 / 20	29 / 23.5 / 21	29 / 23.5 / 21
Ground clearance (in.)	9.4	9.4	9.4	9.4
Overall length (in.)	213.2	213.2	213.2	213.2
Overall width (in.)	–	–	–	–
Overall height (in.)	70.9	70.9	70.9	70.9
Bed length (in.)	–	–	–	–
Bed width – between wheel wells (in.)	–	–	–	–
Bed height (in.)	–	–	–	–
Track – front (in.)	–	–	–	–
Track – rear (in.)	–	–	–	–
Wheelbase (in.)	131.9	131.9	131.9	131.9
Dimensions – Interior				
Head room – front/rear (in.)	–	–	–	–
Shoulder room – front/rear (in.)	–	–	–	–
Hip room – front/rear (in.)	–	–	–	–
Leg room – front/rear (in.)	–	–	–	–
Drive Systems & Differentials				
Drivetrain layout	4WDemand part-time 4-Wheel Drive with electronically controlled 2-speed transfer case (high/low range) and Automatic Limited-Slip Differential (Auto LSD)[41]	4WDemand part-time 4-Wheel Drive with electronically controlled 2-speed transfer case (high/low range) and Automatic Limited-Slip Differential (Auto LSD)[41]	4WDemand part-time 4-Wheel Drive with electronically controlled 2-speed transfer case (high/low range) and Automatic Limited-Slip Differential (Auto LSD)[41]	Full-time 4-Wheel Drive with electronic locking center differential
Differential ring gear size – front (in.)	–	–	8.0	8.0
Differential ring gear size – rear (in.)	8.9	8.9	8.9	8.9
Differential ratio	3.583	3.583	3.583	3.583
4x4 transfer case ratio – high/low	1.00:1/2.57:1	1.00:1/2.57:1	1.00:1/2.57:1	1.00:1/2.57:1
Engines				



	TRD Off-Road (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	TRD Off-Road (i-FORCE 6-ft. bed Double Cab 8AT 4WD)	TRD Off-Road (i-FORCE 5-ft. bed Double Cab 6MT 4WD)	Limited (i-FORCE 5-ft. bed Double Cab 8AT 4WD)
Type	2.4-liter turbocharged DOHC 16-valve 4-cylinder with VVT-i	2.4-liter turbocharged DOHC 16-valve 4-cylinder with VVT-i	2.4-liter turbocharged DOHC 16-valve 4-cylinder with VVT-i	2.4-liter turbocharged DOHC 16-valve 4-cylinder with VVT-i
Horsepower	278 hp 6000 rpm	278 hp 6000 rpm	278 hp 6000 rpm	278 hp 6000 rpm
Torque (lb.-ft.)	265 lb.-ft. 4600 rpm	265 lb.-ft. 4600 rpm	265 lb.-ft. 4600 rpm	265 lb.-ft. 4600 rpm
Injection system	D-4S	D-4S	D-4S	D-4S
Ignition system	Direct	Direct	Direct	Direct
Oil classification	ILSAC GF-5	ILSAC GF-5	ILSAC GF-5	ILSAC GF-5
Oil type / weight	Synthetic 0W-20	Synthetic 0W-20	Synthetic 0W-20	Synthetic 0W-20
TRD performance cold air intake	-	-	-	-
Fuel Facts				
Manufacturer-estimated MPG (city/hwy/combined)	TBD	TBD	TBD	TBD
Fuel tank capacity (gal.)	21.1	21.1	21.1	21.1
Octane number	87 or higher	87 or higher	87 or higher	87 or higher
Federal emissions rating	Tier 2-Bin 5, SFTP	Tier 2-Bin 5, SFTP	Tier 2-Bin 5, SFTP	Tier 2-Bin 5, SFTP
California emissions rating	Low Emission Vehicle III (LEV-III)	Low Emission Vehicle III (LEV-III)	Low Emission Vehicle III (LEV-III)	Low Emission Vehicle III (LEV-III)
Safety				
Total number of airbags[28]	8	8	8	8
Advanced Airbag System[28]	Driver and front passenger	Driver and front passenger	Driver and front passenger	Driver and front passenger
Seat-mounted side airbags[28]	Driver and front passenger	Driver and front passenger	Driver and front passenger	Driver and front passenger
Knee airbags[28]	Driver and front passenger	Driver and front passenger	Driver and front passenger	Driver and front passenger
Side curtain airbags[28]	All-row Roll-sensing Side Curtain Airbags (RSCA)	All-row Roll-sensing Side Curtain Airbags (RSCA)	All-row Roll-sensing Side Curtain Airbags (RSCA)	All-row Roll-sensing Side Curtain Airbags (RSCA)
Driver seatbelt	3-point with Emergency Locking Retractor (ELR)	3-point with Emergency Locking Retractor (ELR)	3-point with Emergency Locking Retractor (ELR)	3-point with Emergency Locking Retractor (ELR)
Front passenger seatbelt	3-point with Automatic/Emergency Locking Retractor (ALR/ELR)	3-point with Automatic/Emergency Locking Retractor (ALR/ELR)	3-point with Automatic/Emergency Locking Retractor (ALR/ELR)	3-point with Automatic/Emergency Locking Retractor (ALR/ELR)
Rear passenger seatbelts	3-point seatbelts for all seating positions; Automatic/Emergency Locking Retractor (ALR/ELR) on all passenger seatbelts	3-point seatbelts for all seating positions; Automatic/Emergency Locking Retractor (ALR/ELR) on all passenger seatbelts	3-point seatbelts for all seating positions; Automatic/Emergency Locking Retractor (ALR/ELR) on all passenger seatbelts	3-point seatbelts for all seating positions; Automatic/Emergency Locking Retractor (ALR/ELR) on all passenger seatbelts
LATCH locations	Lower anchors for front passenger seat and outboard rear seats	Lower anchors for front passenger seat and outboard rear seats	Lower anchors for front passenger seat and outboard rear seats	Lower anchors for front passenger seat and outboard rear seats
Steering				
Electric Power Steering (EPS) and power-assisted rack-and-pinion with an Electronic Parking Brake (EPB)[42]	S	S	S	S
Turning circle diameter – curb-to-curb (ft.)	40.6	44.1	40.6	40.6
Suspension				
Front	Independent double-wishbone front suspension	Independent double-wishbone front suspension	Independent double-wishbone front suspension	Independent double-wishbone front suspension; available Adaptive Variable Suspension (AVS) system
Rear	Coil spring multi-link rear suspension	Coil spring multi-link rear suspension	Coil spring multi-link rear suspension	Coil spring multi-link rear suspension; available Adaptive Variable Suspension (AVS) system
Stabilizer Disconnect Mechanism (SDM)	S	S	S	-
Front stabilizer	-	-	-	-
Front and rear stabilizer	S	S	S	S
Towing				
Maximum towing capacity (lb.)(18)	6,700	6,600	6,500	6,500
Tongue load (lb.)	350 / 670	350 / 660	350 / 650	350 / 650
Class-IV towing hitch receiver and wiring harness with 7-pin/4-pin connector	S	S	S	-
Class-IV towing hitch receiver and wiring harness with 7-pin/4-pin connector; Trailer Backup Guide (TBG) [19]; Trailer Blind Spot Monitor: Trailer Camera[5]	P	P	P	S
Passenger-side front and rear towing hooks	S	S	S	S
Driver's-side and passenger-side front and rear towing hooks	P	P	P	-
Transmissions				
Type	8-speed Electronically Controlled automatic Transmission with intelligence (ECT-i), sequential shift	8-speed Electronically Controlled automatic Transmission with intelligence (ECT-i), sequential shift	6-speed intelligent Manual Transmission (iMT2) with automatic rev matching and anti-stall technology	8-speed Electronically Controlled automatic Transmission with intelligence (ECT-i), sequential



	TRD Off-Road (i-FORCE 5-ft. bed Double Cab 8AT 4WD)	TRD Off-Road (i-FORCE 6-ft. bed Double Cab 8AT 4WD)	TRD Off-Road (i-FORCE 5-ft. bed Double Cab 6MT 4WD)	Limited (i-FORCE 5-ft. bed Double Cab 8AT 4WD)
	mode, and uphill/downhill shift logic	mode, and uphill/downhill shift logic		shift mode, and uphill/downhill shift logic
Warranties & Maintenance				
Basic Warranty	3 years / 36,000 miles	3 years / 36,000 miles	3 years / 36,000 miles	3 years / 36,000 miles
Powertrain Warranty	5 years / 60,000 miles	5 years / 60,000 miles	5 years / 60,000 miles	5 years / 60,000 miles
Corrosion Perforation Warranty	5 years / Unlimited miles	5 years / Unlimited miles	5 years / Unlimited miles	5 years / Unlimited miles
Emissions Warranty	Refer to Vehicle Warranty & Maintenance Guide	Refer to Vehicle Warranty & Maintenance Guide	Refer to Vehicle Warranty & Maintenance Guide	Refer to Vehicle Warranty & Maintenance Guide
Accessories Warranty	3 years / 36,000 miles	3 years / 36,000 miles	3 years / 36,000 miles	3 years / 36,000 miles
Hybrid System Warranty	-	-	-	-
Hybrid Battery Warranty	-	-	-	-
Restraint Systems Warranty	5 years / 60,000 miles	5 years / 60,000 miles	5 years / 60,000 miles	5 years / 60,000 miles
ToyotaCare Maintenance Plan[20]	2 years / 25,000 miles, whichever comes first	2 years / 25,000 miles, whichever comes first	2 years / 25,000 miles, whichever comes first	2 years / 25,000 miles, whichever comes first
ToyotaCare Roadside Assistance Coverage[20]	2 years / Unlimited miles	2 years / Unlimited miles	2 years / Unlimited miles	2 years / Unlimited miles
Weights & Capacities				
Seating capacity	5	5	5	5
Manufacturer-estimated passenger volume (cu. ft.) - front/rear	57.5/42.6	57.5/42.6	57.5/28.1	57.5/28.1
Curb weight (lb.)	4,205	4,245	4,315	4,340
GVWR (lb.)	5,600	5,600	5,600	5,600
Gross Combined Weight Rating (GCWR) (lb.)	11,360	11,360	11,360	11,360
Maximum payload (lb.)[21]	1,395	1,355	1,285	1,260
Fuel tank capacity (gal.)	21.1	21.1	21.1	21.1
Wheels & Tires				
Wheel type	Machined alloy	Machined alloy	Machined alloy	Chrome-finish
Wheel size (in.)	17	17	17	18
Tire type	P265/70R17 all-terrain tires	P265/70R17 all-terrain tires	P265/70R17 all-terrain tires	P265/65R18 all-season
Spare	Full-size, mounted under body	Full-size, mounted under body	Full-size, mounted under body	Full-size, mounted under body

Disclaimers

1. Toyota Safety Sense effectiveness depends on many factors including road, weather and vehicle conditions. Drivers are responsible for their own safe driving. Always pay attention to your surroundings and drive safely. See *Owner's Manual* for limitations.
2. JBL is a registered trademark of Harman International Industries, Inc.
3. A compatible *Bluetooth* enabled phone must be paired. Phone performance depends on software, coverage and carrier. The *Bluetooth* word mark and logos are registered trademarks of *Bluetooth* SIG, Inc. Use of such marks by Toyota is under license.
4. Rated for 2400 watts for a single outlet for short term use. See *Owner's Manual* for additional limitations and details.
5. Do not rely exclusively on Blind Spot Monitor. Look over shoulder and use turn signal. See *Owner's Manual* for limitations.
6. SofTex is a registered trademark of Toyota Motor Sales, U.S.A., Inc.
7. The Panoramic View Monitor does not provide a comprehensive view of the area surrounding your vehicle. Look around to confirm clearance. See *Owner's Manual* for limitations.
8. Digital Key requires an active Remote Connect trial or subscription. Use only if aware of vehicle surroundings and it is safe and legal to do so. Operability depends on 4G cellular network availability and other factors. App download/registration and subscription required. Digital Key requires *Bluetooth* connectivity. Not available on manual transmissions. Terms of Use apply. Services may vary and are subject to change without notice. Data charges may apply.
9. Integrated Trailer Brake Controller is an electronic system that operates in tandem with a trailer equipped with an electric braking system. It is designed to help the driver maintain trailer control by increasing or reducing trailer braking based on trailer weight. It is not a substitute for safe towing practices. Factors including speed, weather, road conditions and driver input can all affect trailer braking control. See *Owner's Manual* for limitations.
10. Rigid Industries is a registered trademark of JST Performance, LLC d/b/a Rigid Industries.
11. Rated for 400 watts for a single outlet for short term use. See *Owner's Manual* for additional limitations and details.
12. Goodyear is a registered trademark of The Goodyear Tire & Rubber Company.
13. To wirelessly use Apple CarPlay on your car display, you need a compatible Apple smartphone with an active data plan. You can check which smartphones are compatible at www.apple.com/ios/carplay/. Operability depends on network availability, a cellular



- connection and GPS signal. Services subject to change at any time without notice. Data charges may apply. To learn more, go to www.toyota.com/audio-multimedia/. To learn more about Toyota's connected services data collection, use, sharing and retention practices, please visit www.toyota.com/support/privacy-rights/. Apple CarPlay is a registered trademark of Apple Inc.
14. To wirelessly use Android Auto on your car display, you need a compatible Android smartphone with an active data plan. You can check which smartphones are compatible at www.android.com/auto/compatibility/. Operability depends on network availability, a cellular connection and GPS signal. Services subject to change at any time without notice. Data charges may apply. To learn more, go to www.toyota.com/audio-multimedia/. To learn more about Toyota's connected services data collection, use, sharing and retention practices, please visit www.toyota.com/support/privacy-rights/. Google, Android, Android Auto, YouTube Music and other marks are trademarks of Google LLC.
 15. Trial length and service availability may vary by model, model year or trim. Service will automatically stop at the end of your trial subscription period unless you decide to continue service. If you do not wish to enjoy your trial, you can cancel by calling the number below. All SiriusXM® services require a subscription, each sold separately by SiriusXM after the trial period. Service subject to the SiriusXM Customer Agreement and Privacy Policy, visit www.siriusxm.com to see complete terms and how to cancel which includes calling 1-866-635-2349. Some services and features are subject to device capabilities and location availability. All fees, content and features are subject to change. SiriusXM, Pandora and all related logos are trademarks of Sirius XM Radio Inc. and its respective subsidiaries.
 16. Drive Connect availability and accuracy depend on certain factors outside of Toyota's control in order to operate, including 4G network availability, a cellular connection and GPS signal. Without any one or more of these things, operability may be limited or precluded. Services subject to change at any time without notice. Requires app download/registration and subscription after trial (if applicable). Terms of Use apply. Data charges may apply. See *Owner's Manual* and www.toyota.com/connected-services/ for limitations. To learn about Toyota's connected services data collection, use, sharing and retention practices, visit www.toyota.com/support/privacy-rights/. Trial period begins on original purchase or lease date of new vehicle. Paid subscription required after trial (if applicable). Terms of Use apply.
 17. Toyota Connected Services depend on certain factors outside of Toyota's control in order to operate, including 4G network availability, a cellular connection and GPS signal. Without any one or more of these things, operability may be limited or precluded, including access to response center and emergency support. Services vary by vehicle and are subject to change at any time without notice. Requires app download/registration and subscription after trial (if applicable). Terms of Use apply. Data charges may apply. See *Owner's Manual* and www.toyota.com/connected-services/. For Toyota's Connected Services' data collection, use, sharing and retention practices, please visit www.toyota.com/support/privacy-rights/. All trials begin on original purchase or lease date of new vehicle, with the exception of Wi-Fi for which trial begins at time of activation. Paid subscription required after trial (if applicable). For Safety Connect, stolen vehicle police report required to use Stolen Vehicle Locator. Automatic Collision Notification activates only in limited circumstances. For Remote Connect, start/stop and/or lock/unlock and other features of Remote Connect are only available on select models. Use only if aware of circumstances surrounding vehicle and it is legal and safe to do so (e.g., do not remotely start a gas engine vehicle in an enclosed space or if vehicle is occupied by a child). Drive Connect service not available in every city or roadway. For Service Connect, information provided is based on the last time data was collected from vehicle and is not real time data. Wi-Fi Connect service not available everywhere or in every vehicle. Valid in contiguous U.S. and Alaska. Up to 5 devices supported. Integrated Streaming requires subscription for third-party provider services. Wi-Fi Connect trial (if applicable) begins at time of enrollment and expires the earlier of 3GB of data is used or 30 days after enrollment.
 18. Never tow beyond a vehicle's published towing capacities. Before towing, confirm your vehicle and trailer are compatible, hooked up and loaded properly and that you have any necessary additional equipment. The maximum you can tow depends on base curb weight plus the total weight of any cargo, occupants, and added vehicle equipment. Follow all instructions in your *Owner's Manual*.
 19. The backup camera does not provide a comprehensive view of the rear area of the vehicle/trailer. When using straight path assist, driver should confirm clearance and is still responsible for safe operation. See *Owner's Manual* for limitations.
 20. ToyotaCare covers normal factory scheduled maintenance for two years or 25,000 miles, whichever comes first, and 24-hour Roadside Assistance is included for two years, unlimited mileage. Roadside Assistance limits towing distances and locations and does not include parts and fluids, except emergency fuel delivery for certain vehicles. Excludes rental company fleet sale vehicles. See your Toyota dealer for additional restrictions and exclusions. Valid only in continental U.S.
 21. Payload includes the weight of occupants, cargo and options and is limited by weight distribution.
 22. Crawl Control is designed for driving on difficult terrain at low speeds and assists driver by controlling acceleration and braking, allowing the driver to focus on steering. See *Owner's Manual* for additional limitations.
 23. HomeLink and HomeLink® house icon are registered trademarks of Gentex Corporation.
 24. Charging may not be compatible with all mobile phones, smart devices, tablets, e-readers, MP3/WMA players and like models.
 25. Wireless charging may not be compatible with all mobile phones, smart devices, tablets, e-readers, MP3/WMA players and like models.
 26. This floor mat was designed specifically for use in your model and model year vehicle and SHOULD NOT be used in any other vehicle. To avoid potential interference with pedal operation, each mat must be secured with its fasteners. Do not install a floor mat on top of an existing floor mat.
 27. Extra-cost color.
 28. Airbag systems supplement the seatbelts and are designed to inflate only under certain conditions and in certain types of severe collisions. Always wear seatbelt, sit upright in middle and as far back in seat as possible to help decrease risk of injury. Do not put objects in front of an airbag See *Owner's Manual* for limitations.
 29. The backup camera does not provide a comprehensive view. Always look over shoulder and use outside mirrors. See *Owner's Manual* for limitations.
 30. Hill Start Assist Control is designed to minimize backward rolling on steep ascents. Not a substitute for safe driving practices. Speed, grade, surface conditions, driver input, etc. can affect HAC function. See *Owner's Manual*.
 31. The Pre-Collision System (PCS) with Pedestrian Detection (PD) is designed to help reduce the crash speed and damage in certain frontal collisions involving a vehicle, a pedestrian, bicyclist or motorcyclist. PCS w/PD is not a substitute for safe and attentive driving.



System effectiveness depends on many factors, such as speed, size and position of vehicle, pedestrian, bicyclist or motorcyclist and weather, light and road conditions. See *Owner's Manual* for limitations.

32. Smart Stop Technology will reduce power to help the brakes bring vehicle to a stop during certain contemporaneous brake and accelerator pedal applications. See *Owner's Manual* for limitations.
33. Vehicle Stability Control is not a substitute for safe and attentive driving practices. Factors including speed, road conditions, weather and steering input can affect whether VSC will be effective. See *Owner's Manual* for limitations.
34. Dynamic Radar Cruise Control is not a substitute for safe and attentive driving. See *Owner's Manual* for instructions and limitations.
35. Automatic high beams operate at speeds above 21 mph. See *Owner's Manual* for instructions and limitations.
36. Lane Departure Alert with Steering Assist is designed to read visible lane markers under certain conditions. It provides a visual/audible alert and slight steering force when lane departure is detected. It is not a collision-avoidance system or substitute for safe and attentive driving. Effectiveness depends on many factors including road, weather and vehicle conditions. See *Owner's Manual* for limitations.
37. Do not rely exclusively on the Rear Cross-Traffic Alert. Visually confirm clearance during use. See *Owner's Manual* for limitations.
38. The engine immobilizer is a state-of-the-art anti-theft system initiated when key is inserted into ignition switch or a Smart Key fob is in/near vehicle. Engine will only start if the code in transponder chip inside the key/fob matches code in vehicle's immobilizer. The transponder chip is embedded in the key/fob and can be costly to replace. For lost key or FOB, see a Toyota dealer or go to www.aloa.org to find a qualified locksmith for highsecurity key service.
39. Rear Parking Assist Sonar is designed to warn drivers of potential rear collisions with certain objects at low speeds. Drivers should visually confirm clearance during use. See *Owner's Manual* for instructions and limitations.
40. The Tire Pressure Monitor System alerts the driver when tire pressure is critically low. For optimal tire wear and performance, tire pressure should be checked regularly with a gauge; do not rely solely on the monitor system. See *Owner's Manual* for limitations and details.
41. Auto LSD is an electronic, brake-actuated limited-slip differential that automatically activates when VSC is disengaged at low speeds. See *Owner's Manual* for additional limitations and details.
42. When system is on, Electric Parking Brake is designed to engage Parking Brake under limited conditions and may not hold vehicle under all conditions. See *Owner's Manual* for additional limitations.
43. The Toyota Tacoma is designed to meet most off-road driving requirements, but off-roading is inherently dangerous and may result in personal injury or vehicle damage. Toyota encourages responsible operation to help protect you, your vehicle and the environment.

